

neodisher	ProTech 10		
Version: 2 / GB	Replaces Version: 1 / GB	Date revised: 09.02.2023	Print date: 19.07.23
SECTION 1: Identit	fication of the substance/n	nixture and of the compan	y/undertaking
1.1. Product ident neodisher Pro			
Identified Uses			-
PC35		oducts (including solvent based	products)
	supplier of the safety data	i sheet	
Address: Chemische Fa Mühlenhagen D-20539 Ham Telephone no Fax no. www.drweiger	burg . +49 40 789 60 0 +49 40 789 60 120		
E-mail addres sida@drweige	ss of person responsible for this ert.de	s SDS:	
1.4. Emergency te Emergency te	elephone number lephone number: 112		
SECTION 2: Hazar	ds identification		
Classification Classification The product is	n of the substance or mixtu (Regulation (EC) No. 1272/2008) (Regulation (EC) No. 1272/2008) Met. Corr. 1 Skin Corr. 1A Eye Dam. 1 Acute Tox. 4 s classified and labelled in accorda	08) H290 H314 H318 H302 unce with Regulation (EC) No 127	72/2008
2.2. Label elemen	ts		
	ording to regulation (EC) N	lo 1272/2008	
Hazard pictogr			
Signal word Danger			
Hazard statem	ents		
H290 H302 H314	May be corrosive to meta Harmful if swallowed. Causes severe skin burr		



neodisher	ProTech 10				
Version: 2 / GB	Replaces Version: 1	/ GB E	ate revised: 09.0)2.2023	Print date: 19.07.23
Precautionary P280 P303+P361+ P305+P351+ P310	Wear protective of P353 IF ON SKIN (or h with water [or sho P338 IF IN EYES: Rins lenses, if present Immediately call	air): Take of ower]. se cautiousl and easy t a POISON en containe safety data	off immediately all y with water for se o do. Continue rir CENTER or docto r is empty and clo u sheet.	contaminated of everal minutes. hsing. or. hsed. For dispos	clothing. Rinse skin Remove contact sal of product
contains	potassium hydro		• •	(LO) NO. 127	2/2000)
2.3. Other hazard No special ha The product c not contain a		d. s. The prod ine disrupti	uct contains no v ng properties with	respect to hum	an. The product
SECTION 3: Comp	osition/information o	on ingred	ients		
3.2. Mixtures					
Hazardous ing	gredients				
potassium hyc CAS No. EINECS no. Registration r Concentratior	л droxide 1310-58-3 215-181-3 по. 01-2119487136-3	2/2008) H2 H3 H3	90	% Route of exposi	ure: oral
Concentratior	n limits (Regulation (EC) No Eye Irrit. 2 Skin Corr. 1A Skin Corr. 1B Skin Irrit. 2	b. 1272/200 H319 H314 H314 H315 33	>= 0,5 < 2 % >= 5 % >= 2 < 5 % >= 0,5 < 2 %		
sodium hydrox	oral xide	55	3 mg/kg		
CAS No. EINECS no. Registration r Concentratior	1310-73-2 215-185-5 10. 01-2119457892-2	2/2008) H2 H3	25 ° 90 14 18	%	
Concentratior	n limits (Regulation (EC) No Eye Irrit. 2 Skin Corr. 1A Skin Corr. 1B Skin Irrit. 2	5. 1272/200 H319 H314 H314 H315	8) >= 0,5 < 2 % >= 5 % >= 2 < 5 % >= 0,5 < 2 %		



Version: 2 / GB

Replaces Version: 1 / GB

Date revised: 09.02.2023

Other information

Complete text of hazard statements in chapter 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated, soaked clothing immediately and dispose of safely. Clean body thoroughly (bath, shower). In any case show the physician the Safety Data Sheet.

After inhalation

Ensure supply of fresh air. When spray fog inhaled, seek medical aid.

After skin contact

After contact with skin, wash immediately with plenty of water. Take medical treatment.

After eye contact

In case of contact with the eyes, rinse immediately for at least 15 minutes with plenty of water. Summon a doctor immediately.

After ingestion

If swallowed, seek medical advice immediately and show this container or label. Rinse mouth thoroughly with water. Let plenty of water be drunk in small gulps. Do not induce vomiting.

Adhere to personal protective measures when giving first aid

First aider: Pay attention to self-protection!

4.2. Most important symptoms and effects, both acute and delayed Until now no symptoms known so far.

4.3. Indication of any immediate medical attention and special treatment needed

Hints for the physician / hazards

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Extinguishing measures to suit surroundings

Non suitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible.

5.3. Advice for firefighters

Special protective equipment for fire-fighting

Do not inhale explosion and/or combustion gases. In case of combustion use a suitable breathing apparatus.

Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains. Fire residues and contaminated fire-fighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures



/ersion: 2/GB	Replaces V	ersion: 1/GB	Date revised: 09.02.202	23 Print date: 19.07.23
			oment and emergency fer to protective measures lis	
6.2. Environment Do not discha	arge into the drain		s/groundwater.	
6.3. Methods and Pick up with a			and cleaning up	ce with the regulations.
6.4. Reference to Refer to prote	other section	-	s 7 and 8.	
SECTION 7: Hand	ling and stora	age		
closed.	e handling on of aerosols. O	bserve the usua		emicals. Keep container tightl
Advice on pro The product is	s not combustible	-	osion	
7.2. Conditions for	or safe storaç	ge, including	any incompatibilities	
Recommende Value	d storage tem	perature > 0	< 30 °C	
	nal packaging, tig	htly closed. Stor		ventilated. Containers which
Storage class Storage class TRGS 510	es according to	8B	Non-combustible corrosive h	azardous substances
7.3. Specific end no data	use(s)			
SECTION 8: Expos	sure controls	/personal pr	otection	
8.1. Control para	meters			
Exposure limit	t values			
potassium hyd	droxide%			
List Type		EH40 WEL		
Short term ex	posure limit		g/m³	
sodium hydro	xide			
1 : - 4		EH40 WEL		
List				
List Type Short term ex	posure limit		g/m³	

Hold eye wash fountain available. Hold emergency shower available. Do not inhale



eodisher	ProTec	h 10				
ersion: 2/GB	Replaces '	Version:	1 / GB	Date revised:	09.02.2023	Print date: 19.07.23
				n and eyes. Do no an skin thoroughly		noke during work time. ly skin cream.
Respiratory p				0,	· · · ·	
	limits are excee	ded, a re	espiratory	protection approve	ed for this partic	ular job must be worn.
Hand protect	ion					
-	sistant gloves					
Use	slotant gloroo	Permar	nent hand	contact		
Appropriate	Material	neopre				
Material thic		>= '	0,65	mm		
Breakthroug	h time	>	480	min		
Appropriate	Material	nitrile				
Material thic	kness	>=	0,4	mm		
Breakthroug	h time	>	480	min		
Appropriate	Material	butyl				
Material thic	kness	>=	0,7	mm		
Breakthroug	h time	>	480	min		
Use		Short-te	erm hand	contact		
Appropriate	Material	nitrile				
Material thic		>=	0,11	mm		
Hand protec	tion must comply	∕ with EN	N ISO 374			
CTION 9: Phys	usual in the chen sical and che					
.1. Information				mical propertio	es	
Physical state	9	liqui				
Colour			urless			
Odour		cha	racteristic			
Melting point						
Remarks		not	determine	d		
Freezing poin	ht .					
Remarks	it.	not	determine	d		
				-		
Boiling point Remarks	or initial boili		t and bo determine			
Flammability						
•		NI-4	a a a l'a a b la			
evaluation			applicable)		
Upper and lov	wer explosive	limits				
Remarks		Not	applicable	;		
Flash point						
Value		>	65		°C	
	4	,	00		Ũ	
Ignition temp	erature					
Remarks		Not	applicable	9		
Decompositio	on temperatur	е				
Remarks	-					
Remarks		not	determine	d		
pH value						
Privalue						



Version: 2 / GB

Replaces Version: 1 / GB

Date revised: 09.02.2023

Print date: 19.07.23

Value	>	14				
Temperature		20	°C			
Viscosity						
dynamic						
Value	<	50 20	°C	mPa.s		
Temperature		20	C			
Solubility(ies) Remarks	not c	letermine	4			
Partition coefficient n-octa Remarks		er (log va letermined	-			
	not c		J			
Vapour pressure Remarks	not c	letermine	4			
			J			
Density and/or relative den Value	sity	1 47		a/223		
Temperature		1,47 20	°C	g/cm³		
Relative vapour density			•			
Remarks	not c	letermine	d			
9.2. Other information						
Odour threshold						
Remarks	not c	letermined	d			
Evaporation rate (ether = 1)):					
Remarks		letermined	d			
Solubility in water						
Remarks	miscible in all proportions					
Explosive properties						
evaluation	not determined					
Oxidising properties						
evaluation	None	e known				
Other information None known						

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reactions when stored and handled according to prescribed instructions.

10.2. Chemical stability

No hazardous reactions known.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

10.4. Conditions to avoid

No hazardous reactions known.

10.5. Incompatible materials

Corrodes aluminium. Strong exothermic reaction with acids.

10.6. Hazardous decomposition products

No hazardous decomposition products known.



ersion: 2/GB	Replaces Version: 1 / GB	Date revised: 09.02.2023	Print date: 19.07
ECTION 11: Toxic	cological information		
1.1 Information of	on hazard classes as defi	ned in Regulation (EC) N	o 1272/2008
Acute oral toxi	-		
ATE	appr. 1.480	mg/kg	2
Method Remarks		(Regulation (EC) No. 1272/2008 n criteria are met.)
	city (Components)		
potassium hyd	roxide%		
Species	rat		
LD50	333	mg/kg	
Acute dermal t	-		
Remarks		ble data, the classification criteria	a are not met.
Acute inhalatio	-	ble data, the classification criteria	a aro not mot
Skin corrosion			a are not met.
evaluation	strongly corrosiv	P	
Remarks		n criteria are met.	
Serious eye da	mage/irritation		
evaluation	strongly corrosiv		
Remarks	The classificatio	n criteria are met.	
Sensitization			
Remarks		ble data, the classification criteria	a are not met.
	chronic, chronic toxicity		
Remarks	Based on availa	ble data, the classification criteria	a are not met.
Mutagenicity	Pasad on availa	ble data, the classification criteria	a ara nat mat
Remarks			a are not met.
Reproductive t Remarks	-	ble data, the classification criteria	a are not met
Carcinogenicit			a are not met.
Remarks	-	ble data, the classification criteria	a are not met
	Organ Toxicity (STOT)		
	• • • •		
Single expos Remarks		ble data, the classification criteria	a are not met.
Repeated exp			
Remarks		ble data, the classification criteria	a are not met.
Aspiration haz	ard		
Based on avai	lable data, the classification crit	eria are not met.	
11.2 Information of	on other hazards		
	upting properties with resp	ect to humans	
		t has endocrine disrupting prope	rties with respect to
Inhalation may	practice / lead to irritation of the respirate	prv tract.	
Other informat			



/ersion: 2/GB	Replaces Ver	sion: 1/GB	Date revised:	09.02.2023	Print date: 19.07.2
	ata available on the		t from the informa	tion given in this	subsection.
SECTION 12: Ecol	ogical informa	tion			
12.1. Toxicity General inforn not determine					
Fish toxicity (Components)				
potassium hyc Species LC50 Duration of ex Source	mo	osquito fish 80 24 CHA	h	mg/l	
sodium hydrox					
Species LC50	rai	nbow trout (Or 45,4	ncorhynchus myki	ss) mg/l	
Duration of ex	kposure	96	h	g.i	
Daphnia toxici	ty (Components	5)			
sodium hydrox Species EC50 Duration of co	Da >	aphnia magna 100 48	h	mg/l	
Duration of ex		-	11		
12.2. Persistence General inform not determine	nation	iiity			
12.3. Bioaccumul	ative potential				
General inforn not determine					
Partition coeff Remarks	icient n-octanol	water (log v not determine	•		
12.4. Mobility in s	soil				
General inforn not determine					
12.5. Results of F	BT and vPvB	assessmen	t		
General inforn not determine					
The product of	F and vPvB asse contains no PBT su	bstances			
	contains no vPvB s				
12.6 Endocrine d			aat ta tha amin'	onmont	
	rupting properti loes not contain a s ganisms.	-			es with respect to
12.7. Other adver	se effects				
General inform					



Version: 2 / GB

Replaces Version: 1 / GB

Date revised: 09.02.2023

Print date: 19.07.23

General information / ecology

Do not allow to enter soil, waterways or waste water canal. Avoid release into the atmosphere.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations for the product

EWC waste code18 01 06*chemicals consisting of or containing dangerous substancesEWC waste code20 01 29*detergents containing dangerous substancesThe listed waste code numbers, according to the European Waste Catalogue (EWC), are to beunderstood as a recommendation. A final decision must be made in agreement with the regional wastedisposal company.

Disposal recommendations for packaging

 EWC waste code
 15 01 02
 plastic packaging

 Completely emptied packagings can be given for recycling.

 EWC waste code
 15 01 10*
 packaging containing residues of or contaminated by dangerous substances

 Packaging that cannot be cleaned should be disposed of in agreement with the regional waste disposal

Packaging that cannot be cleaned should be disposed of in agreement with the regional waste disposal company.

SECTION 14: Transport information

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
Tunnel restriction code	E		
IMDG-Code segregation group		18 Alkalis	
14.1. UN number or ID number	1719	1719	1719
14.2. UN proper shipping name	CAUSTIC ALKALI LIQUID, N.O.S. (sodium hydroxide, potassium hydroxide)	CAUSTIC ALKALI LIQUID, N.O.S. (sodium hydroxide, potassium hydroxide)	CAUSTIC ALKALI LIQUID, N.O.S. (sodium hydroxide, potassium hydroxide)
14.3. Transport hazard class(es)	8	8	8
Label	(Jed)	A Carlos and a c	Part Part
14.4. Packing group	11	11	11
Limited Quantity	11	11	
Transport category	2		
14.5. Environmental hazards		no	

Information for all modes of transport

14.6. Special precautions for user See Sections 6 to 8



neodisher ProTech 10 Print date: 19.07.23 Replaces Version: 1 / GB Date revised: 09.02.2023 Version: 2/GB Other information 14.7 Maritime transport in bulk according to IMO instruments Not applicable **SECTION 15: Regulatory information** 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture VOC VOC (EU) 0 % Other regulations, restrictions and prohibition regulations Observe employment restrictions for young people. Other information The product does not contain substances of very high concern (SVHC). Other information All components are contained in the TSCA inventory or exempted. 15.2. Chemical safety assessment For this preparation a chemical safety assessment has not been carried out. **SECTION 16: Other information** Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]: Classification (Regulation (EC) No. 1272/2008) Met. Corr. 1 H290 Skin Corr. 1A H314 Eve Dam. 1 H318 Acute Tox. 4 H302 Hazard statements listed in Chapter 2/3 H290 May be corrosive to metals. H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H318 Causes serious eve damage. CLP categories listed in Chapter 2/3 Acute Tox. 4 Acute toxicity, Category 4 Serious eye damage, Category 1 Eye Dam. 1 Met. Corr. 1 Substance or mixture corrosive to metals, Category 1 Skin Corr. 1A Skin corrosion, Category 1A **Abbreviations** ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route RID: Règlement concernant le transport international ferroviaire de marchandises dangereuses IMDG: International Maritime Code for Dangerous Goods ICAO: International Civil Aviation Organization IATA: International Air Transport Association VOC: Volatile Organic Compound LD: Lethal dose LC: Lethal concentration PBT: Persistent, Bioaccumulative and Toxic vPvB: Very persistent and very bioaccumulative SVHC: Substances of very high concern

MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as modified by



Version: 2 / GB

Replaces Version: 1 / GB

Date revised: 09.02.2023

Print date: 19.07.23

the Protocol of 1978 (MARPOL: Marine Pollution) IBC: Intermediate Bulk Container CAS: Chemical Abstracts Service ISO: International Organization for Standardization OEL: Occupational exposure limit OECD: Organisation for Economic Co-operation and Development UN: United Nations IMO: International Maritime Organization

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: *** This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.