





neomoscan CP alka 162 Print date: 13.10.23 Replaces Version: - / GB Date revised: 24.11.2020 Version: 1/GB P260 Do not breathe dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves/protective clothing/eye protection/face protection. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor. P310 Dispose only when container is empty and closed. For disposal of product residues, refer to safety data sheet. Hazardous component(s) to be indicated on label (Regulation (EC) No. 1272/2008) potassium hydroxide; 2-aminoethanol contains 2.3. Other hazards No special hazards have to be mentioned. The product contains no PBT substances. The product contains no vPvB substances. This product does not contain a substance that has endocrine disrupting properties with respect to human. The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms. **SECTION 3: Composition/information on ingredients** 3.2. Mixtures **Hazardous ingredients** 2-aminoethanol CAS No. 141-43-5 EINECS no. 205-483-3 Registration no. 01-2119486455-28 10 % Concentration >= 1 < Classification (Regulation (EC) No. 1272/2008) H302 Acute Tox. 4 Route of exposure: oral Route of exposure: dermal Acute Tox. 4 H312 Route of exposure: inhalative Acute Tox. 4 H332 Skin Corr. 1B H314 Eve Dam. 1 H318 STOT SE 3 H335 Route of exposure: inhalative Aquatic Chronic 3 H412 Concentration limits (Regulation (EC) No. 1272/2008) STOT SE 3 H335 >= 5 % potassium hydroxide CAS No. 1310-58-3 EINECS no. 215-181-3 Registration no. 01-2119487136-33 Concentration >= < 5 % 1 Classification (Regulation (EC) No. 1272/2008) Met. Corr. 1 H290 Acute Tox. 4 H302 Route of exposure: oral H314 Skin Corr. 1A H318 Eye Dam. 1 Concentration limits (Regulation (EC) No. 1272/2008) Eye Irrit. 2 H319 >= 0,5 < 2 % Skin Corr. 1A H314 >= 5 % Skin Corr. 1B H314 >= 2 < 5 % Skin Irrit. 2 H315 >= 0.5 < 2 %



neomoscan CP alka 162 Print date: 13.10.23 Replaces Version: - / GB Date revised: 24.11.2020 Version: 1/GB fatty acids, potassium salts CAS No. 13040-18-1 EINECS no. 235-910-9 Concentration 10 % >= 1 < Classification (Regulation (EC) No. 1272/2008) Skin Irrit. 2 H315 Eye Irrit. 2 H319 fatty alcohol alkoxylate Registration no. 02-2119548491-37 % Concentration < 1 Classification (Regulation (EC) No. 1272/2008) H318 Eye Dam. 1 Aquatic Acute 1 H400 Aquatic Chronic 3 H412 fatty alcohols, alkoxylated CAS No. 120313-48-6 Concentration % < 1 Classification (Regulation (EC) No. 1272/2008) Skin Irrit. 2 H315 Aquatic Acute 1 H400 Aquatic Chronic 3 H412 Other information Complete text of hazard statements in chapter 16 SECTION 4: First aid measures 4.1. Description of first aid measures **General information** Remove contaminated, soaked clothing immediately and dispose of safely. Clean body thoroughly (bath, shower). In any case show the physician the Safety Data Sheet. After inhalation Ensure supply of fresh air. When spray fog inhaled, seek medical aid. After skin contact After contact with skin, wash immediately with plenty of water. Take medical treatment. After eye contact In case of contact with the eyes, rinse immediately for at least 15 minutes with plenty of water. Summon a doctor immediately. After ingestion If swallowed, seek medical advice immediately and show this container or label. Rinse mouth thoroughly with water. Let plenty of water be drunk in small gulps. Do not induce vomiting. Adhere to personal protective measures when giving first aid First aider: Pay attention to self-protection! 4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

4.3. Indication of any immediate medical attention and special treatment needed Hints for the physician / hazards



neomoscan CP alka 162

Version: 1 / GB

Replaces Version: - / GB

Date revised: 24.11.2020

Print date: 13.10.23

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Extinguishing measures to suit surroundings

Non suitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible.

5.3. Advice for firefighters

Special protective equipment for fire-fighting

Do not inhale explosion and/or combustion gases. In case of combustion use a suitable breathing apparatus.

Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains. Fire residues and contaminated fire-fighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures Avoid contact with skin, eyes and clothing. Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3. Methods and material for containment and cleaning up

Pick up with absorbent material. Dispose of absorbed material in accordance with the regulations.

6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid formation of aerosols. Observe the usual precautions for handling chemicals. Keep container tightly closed.

Advice on protection against fire and explosion

The product is not combustible.

7.2. Conditions for safe storage, including any incompatibilities

Recommended storage temperature

<

Requirements for storage rooms and vessels

Keep in original packaging, tightly closed. Storage rooms must be properly ventilated. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

30

°C

Storage classes

Value

Storage class according to8BNon-combustible corrosive hazardous substancesTRGS 510



neomoscan CP all	ka 162			
Version: 1 / GB Replaces V	/ersion: -/GB	Date revised:	24.11.2020	Print date: 13.10.23
7.3. Specific end use(s) no data				
SECTION 8: Exposure control	s/personal pr	otection		
8.1. Control parameters Exposure limit values				
potassium hydroxide% List Type Short term exposure limit	EH40 WEL 2 m	g/m³		
2-aminoethanol List Type Value Short term exposure limit Skin resorption / sensibilisatio	7.6 m	g/m³ g/m³ s: Sk	1 3	ppm(V) ppm(V)
2-aminoethanol List Type Value Short term exposure limit Skin resorption / sensibilisatio	IOELV IOELV 2,5 m 7,6 m	g/m³ g/m³	1 3	ppm(V) ppm(V)
Other information There are not known any furt				

8.2. Exposure controls

General protective and hygiene measures

Hold eye wash fountain available. Hold emergency shower available. Do not inhale gases/vapours/aerosols. Avoid contact with skin and eyes. Do not eat, drink or smoke during work time. Wash hands before breaks and after work. Clean skin thoroughly after work; apply skin cream.

Respiratory protection

If workplace limits are exceeded, a respiratory protection approved for this particular job must be worn. Particle filter P2

Hand protection

Chemical resistant gloves				
Use	Permanent hand contact			
Appropriate Material	neoprene			
Material thickness	>=	0,65	mm	
Breakthrough time	>	480	min	
Appropriate Material	nitrile			
Material thickness	>=	0,4	mm	
Breakthrough time	>	480	min	
Appropriate Material	butyl			
Material thickness	>=	0,7	mm	
Breakthrough time	>	480	min	
Use	Short-term hand contact			
Appropriate Material	nitrile			
Material thickness	>=	0,11	mm	
Hand protection must comply with EN ISO 374.				

Eye protection

Safety glasses with side protection shield; Eye protection must comply with EN 166.



neomoscar	n CP alka 162			
Version: 1 / GB	Replaces Version: - / GB	Date revis	ed: 24.11.2020	Print date: 13.10.23
Body protectio	n ual in the chemical industry. P	rotective shoes		
	al and chemical proper			
9.1. Information of Physical state Colour Odour	n basic physical and ch liquid yellowish, c characterisi	lear	erties	
Melting point Remarks	not determi	ned		
Freezing point Remarks	not determi	ned		
Boiling point of	r initial boiling point and l	ooiling range		
Remarks	not determi	ned		
Flammability evaluation	Not applica	ble		
	er explosive limits			
Remarks	Not applica	ble		
Flash point Remarks	Not applica	ble		
Ignition temper Remarks	ature Not applica	ble		
Decomposition Remarks	temperature			
Remarks	not determi	ned		
pH value				
Value Temperature	appr. 14 20	°C		
Viscosity				
dynamic Value Temperature	< 50 20	°C	mPa.s	
Solubility(ies) Remarks	not determi	ned		
Partition coeffice Remarks	cient n-octanol/water (log not determi	•		
Vapour pressur Remarks	re not determi	ned		
	relative density 1,0 20		g/cm³	
Relative vapou Remarks	r density not determi	ned		
9.2. Other informa	ition			
Odour threshol				



neomoscan CP alka 162				
Version: 1 / GB	Replaces Ver	sion: -/GB	Date revised: 24.11.2020	Print date: 13.10.23
Remarks Evaporation rat	te (ether = 1) :	not determined	1	
Remarks Solubility in wa		not determined	3	
Remarks Explosive prop	erties	miscible in all	proportions	
evaluation Oxidising prop	erties	no		
evaluation Other informati None known	ion	None known		
SECTION 10: Stabi	lity and reacti	vity		
10.1. Reactivity No hazardous	reactions when st	tored and handl	ed according to prescribed instr	uctions.
10.2. Chemical sta No hazardous	ability reactions known.			
10.3. Possibility of hazardous reactions No hazardous reactions known.				
10.4. Conditions to No hazardous	o avoid reactions known.			
10.5. Incompatible Strong exother	e materials rmic reaction with	acids. Corrode:	s aluminium.	
10.6. Hazardous d No hazardous	ecomposition decomposition pr			
SECTION 11: Toxic	ological infor	mation		
		ses as defin	ed in Regulation (EC) No	1272/2008
Acute oral toxic Species LD50 Method	rat >	2000	mg/kg Regulation (EC) No. 1272/2008)
Acute oral toxicity (Components)				
2-aminoethano l Species LD50 Method	rat	t 1089 ECD 401	mg/kg	
potassium hydi Species LD50			mg/kg	
Acute dermal to Remarks	•	ased on availabl	e data, the classification criteria	are not met
Acute inhalatio Remarks	nal toxicity		e data, the classification criteria	
Acute inhalativ				



neomoscan CP alka 162 Print date: 13.10.23 Replaces Version: - / GB Date revised: 24.11.2020 Version: 1/GB 2-aminoethanol Species rat LC50 1487 mg/m³ Duration of exposure h 4 Administration/Form Vapors Skin corrosion/irritation evaluation corrosive Serious eye damage/irritation evaluation corrosive Sensitization Remarks Based on available data, the classification criteria are not met. Subacute, subchronic, chronic toxicity Remarks Based on available data, the classification criteria are not met. Mutagenicity Remarks Based on available data, the classification criteria are not met. **Reproductive toxicity** Based on available data, the classification criteria are not met. Remarks Carcinogenicity Remarks Based on available data, the classification criteria are not met. Specific Target Organ Toxicity (STOT) evaluation May cause respiratory irritation. Aspiration hazard Based on available data, the classification criteria are not met. 11.2 Information on other hazards Endocrine disrupting properties with respect to humans The product does not contain a substance that has endocrine disrupting properties with respect to humans. **Experience** in practice Inhalation may lead to irritation of the respiratory tract. Other information There is no data available on the product apart from the information given in this subsection. **SECTION 12: Ecological information** 12.1. Toxicity **General information** not determined Fish toxicity (Components) 2-aminoethanol Species carp (Cyprinus carpio) LC50 349 mg/l Duration of exposure 96 h 2-aminoethanol Species goldfish (Carassius auratus) LC50 170 mg/l 96 Duration of exposure h Daphnia toxicity (Components)



neomoscan CP alka 162

Version: 1 / GB

Replaces Version: - / GB

Date revised: 24.11.2020

Print date: 13.10.23

Species EC50 Duration of exposure Algae toxicity (Componen 2-aminoethanol Species	Daphnia magna 65 96	h	mg/l
Duration of exposure Algae toxicity (Componen 2-aminoethanol Species	96	h	mg/I
Algae toxicity (Componen 2-aminoethanol Species			
2-aminoethanol Species		П	
Species	ts)		
	_		
	Scenedesmus su	Ibspicatus	
EC50	22 72	h	mg/l
Duration of exposure	12	h	
2-aminoethanol Species	Selenastrum cap	ricornutum	
EC50	2,5	ncomatam	mg/l
Duration of exposure	72	h	ing/i
Method	OECD 201		
Bacteria toxicity (Compon	ents)		
2-aminoethanol			
Species	activated sludge		
EC20	> 1000		mg/l
Duration of exposure	0,5	h	
Method	OECD 209		
2.2. Persistence and degra	dability		
General information			
not determined			
2.2 Bioggournulative poter	stial		
2.3. Bioaccumulative poter	illai		
General information			
not determined			
Partition coefficient n-octa	anol/water (log va	alue)	
Remarks	not determine	d	
2.4. Mobility in soil			
General information			
not determined			
2.5. Results of PBT and vP	vB assessment	t	
General information			
not determined			
Results of PBT and vPvB	assessment		
The product contains no PE		ces.	
·			
2.6 Endocrine disrupting p	•		
Endocrine disrupting prop	=		
	in a substance that	has endocrin	e disrupting properties with respect to
non-target organisms.			
2.7. Other adverse effects			
General information			
not determined			
General information / ecol	0.01/		
	OOV		



neomoscan CP alka 162 Replaces Version: - / GB Print date: 13.10.23 Date revised: 24.11.2020 Version: 1/GB down in Regulation (EC) No.648/2004 on detergents. Do not discharge product unmonitored into the environment. **SECTION 13: Disposal considerations** 13.1. Waste treatment methods Disposal recommendations for the product EWC waste code 18 01 06* chemicals consisting of or containing dangerous substances EWC waste code 20 01 29* detergents containing dangerous substances The listed waste code numbers, according to the European Waste Catalogue (EWC), are to be understood as a recommendation. A final decision must be made in agreement with the regional waste disposal company. **Disposal recommendations for packaging** 15 01 02 plastic packaging EWC waste code Completely emptied packagings can be given for recycling. EWC waste code 15 01 10* packaging containing residues of or contaminated by dangerous substances Packaging that cannot be cleaned should be disposed of in agreement with the regional waste disposal company. **SECTION 14: Transport information** Land transport ADR/RID Air transport ICAO/IATA Marine transport IMDG/GGVSee Tunnel restriction code F 1719 1719 1719 14.1. UN number or ID number CAUSTIC ALKALI LIQUID, N.O.S. CAUSTIC ALKALI LIQUID, N.O.S. CAUSTIC ALKALI LIQUID, 14.2. UN proper shipping name N.O.S. (potassium hydroxide, (potassium hydroxide, (potassium hydroxide, 2-aminoethanol) 2-aminoethanol) 2-aminoethanol) 14.3. Transport hazard 8 8 8 class(es) Label 14.4. Packing group Ш Ш Ш 5 I 5 I Limited Quantity Transport category 3

Information for all modes of transport

14.6. Special precautions for user

See Sections 6 to 8

Other information

14.5. Environmental hazards

14.7 Maritime transport in bulk according to IMO instruments

no



neomosca	n CP alka 162			
Version: 1 / GB	Replaces Version: - / GB	Date revised: 24.11.2020	Print date: 13.10.23	
Not applicable	9			
SECTION 15: Regu	ulatory information			
15.1. Safety, heal	th and environmental regu	lations/legislation specifi	c for the substance	
or mixture				
Ingredients (R	egulation (EC) No 648/2004)			
less than 5 %:				
soap, non-ion	ic surfactants			
Water Hazard	Class (Germany)			
Water Hazard				
(Germany)				
Remarks	Derivation of WG	K according to Annex 1 No. 5.2 A	wSV	
VOC				
VOC (EU)	0	%		
Other regulation	ons, restrictions and prohibi	tion regulations		
Observe emp	loyment restrictions for young peo	ople.		
Other informat	tion			
The product d	loes not contain substances of ve	ry high concern (SVHC).		
15.2. Chemical sa	faty accoment			
	ration a chemical safety assessment	ent has not been carried out		
SECTION 16: Othe	er information			
	and procedure used to deriv	e the classification for mixtu	res according to	
•	C) 1272/2008 [CLP]:			
Classification	(Regulation (EC) No. 1272/2008)			
	Met. Corr. 1 Skin Corr. 1B	H290 H314		
	Eye Dam. 1	H318		
	STOT SE 3	H335		
Hazard statem	ents listed in Chapter 2/3			
H290	May be corrosive	to metals.		
H302	Harmful if swallow			
H312		Harmful in contact with skin.		
H314		Causes severe skin burns and eye damage.		
H315		Causes skin irritation.		
H318		Causes serious eye damage.		
H319 H332		Causes serious eye irritation.		
H335		Harmful if inhaled. May cause respiratory irritation.		
H400		Very toxic to aquatic life.		
H412		c life with long lasting effects.		
CLP categorie	s listed in Chapter 2/3			
Acute Tox. 4	Acute toxicity, Ca	tegory 4		
Aquatic Acute	•	aquatic environment, acute, Cate	aory 1	
Aquatic Chror		aquatic environment, chronic, Ca		
Eye Dam. 1	Serious eye dama			
Eye Irrit. 2	Eye irritation, Cat			
Met. Corr. 1		ture corrosive to metals, Categor	y 1	
Skin Corr. 1A	Skin corrosion, C	ategory 1A		



neomoscan CP alka 162

Version: 1 / GB

Replaces Version: - / GB

Date revised: 24.11.2020

Print date: 13.10.23

Skin Corr. 1B	Skin corrosion, Category 1B
Skin Irrit. 2	Skin irritation, Category 2
STOT SE 3	Specific target organ toxicity - single exposure, Category 3

Abbreviations

ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route RID: Règlement concernant le transport international ferroviaire de marchandises dangereuses IMDG: International Maritime Code for Dangerous Goods ICAO: International Civil Aviation Organization IATA: International Air Transport Association VOC: Volatile Organic Compound LD: Lethal dose LC: Lethal concentration PBT: Persistent, Bioaccumulative and Toxic vPvB: Very persistent and very bioaccumulative SVHC: Substances of verv high concern MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978 (MARPOL: Marine Pollution) IBC: Intermediate Bulk Container CAS: Chemical Abstracts Service ISO: International Organization for Standardization **OEL:** Occupational exposure limit OECD: Organisation for Economic Co-operation and Development UN: United Nations IMO: International Maritime Organization

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: *** This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.