

Version: 3 / GB Replaces Version: 2 / GB Date revised: 10.07.2023 Print date: 12.07.23

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

neomoscan S 11

1.2. Relevant identified uses of the substance or mixture and uses advised against Identified Uses

PC35 Washing and cleaning products (including solvent based products)

1.3. Details of the supplier of the safety data sheet

Address:

Chemische Fabrik Dr. Weigert GmbH & Co. KG

Mühlenhagen 85 D-20539 Hamburg

Telephone no. +49 40 789 60 0 Fax no. +49 40 789 60 120

www.drweigert.com

E-mail address of person responsible for this SDS:

sida@drweigert.de

1.4. Emergency telephone number

Emergency telephone number: 112

SECTION 2: Hazards identification ***

2.1. Classification of the substance or mixture

Classification (Regulation (EC) No. 1272/2008)

Classification (Regulation (EC) No. 1272/2008)

 Skin Corr. 1A
 H314

 Eye Dam. 1
 H318

 Met. Corr. 1
 H290

*

The product is classified and labelled in accordance with Regulation (EC) No 1272/2008 For explanation of abbreviations see section 16.

2.2. Label elements

Labelling according to regulation (EC) No 1272/2008

Hazard pictograms



Signal word

Danger



Version: 3 / GB Replaces Version: 2 / GB Date revised: 10.07.2023 Print date: 12.07.23

Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor.

Dispose only when container is empty and closed. For disposal of product

residues, refer to safety data sheet.

Hazardous component(s) to be indicated on label (Regulation (EC) No. 1272/2008)

contains *** C12-C14 alkyldimethylamine oxide; sodium hydroxide; sodium lauryl ether sulfate;

C8-10 alkylpolyglucoside; hexyl D-glucoside

2.3. Other hazards

No special hazards have to be mentioned.

The product contains no PBT substances. The product contains no vPvB substances. This product does not contain a substance that has endocrine disrupting properties with respect to human. The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

SECTION 3: Composition/information on ingredients ***

3.2. Mixtures

Hazardous ingredients ***

sodium hydroxide

CAS No. 1310-73-2 EINECS no. 215-185-5

Registration no. 01-2119457892-27

Concentration >= 10 < 25 %

Classification (Regulation (EC) No. 1272/2008)

 Met. Corr. 1
 H290

 Skin Corr. 1A
 H314

 Eye Dam. 1
 H318

Concentration limits (Regulation (EC) No. 1272/2008)

Eye Irrit. 2 H319 >= 0,5 < 2 % Skin Corr. 1A H314 >= 5 % Skin Corr. 1B H314 >= 2 < 5 % Skin Irrit. 2 H315 >= 0,5 < 2 %

hexyl D-glucoside

CAS No. 54549-24-5 EINECS no. 259-217-6

Registration no. 01-2119492545-29

Concentration >= 1 < 10 %

Classification (Regulation (EC) No. 1272/2008)

Eye Dam. 1 H318

C8-10 alkylpolyglucoside

CAS No. 68515-73-1 EINECS no. 500-220-1



Version: 3 / GB Replaces Version: 2 / GB Date revised: 10.07.2023 Print date: 12.07.23

Registration no. 01-2119488530-36

Concentration >= 1 < 10 %

Classification (Regulation (EC) No. 1272/2008)

Eye Dam. 1 H318

C12-C14 alkyldimethylamine oxide

CAS No. 308062-28-4 EINECS no. 931-292-6

Registration no. 01-2119490061-47

Concentration >= 1 < 2,5 %

Classification (Regulation (EC) No. 1272/2008)

Acute Tox. 4 H302 Route of exposure: oral Skin Irrit. 2 H315

Eye Dam. 1 H318 Aquatic Acute 1 H400 Aquatic Chronic 2 H411

ATE oral 300 mg/kg

sodium lauryl ether sulfate

CAS No. 68891-38-3 EINECS no. 500-234-8

Registration no. 01-2119488639-16

Concentration >= 1 < 3 %

Classification (Regulation (EC) No. 1272/2008)

Eye Dam. 1 H318 Skin Irrit. 2 H315 Aquatic Chronic 3 H412

Concentration limits (Regulation (EC) No. 1272/2008)

Eye Dam. 1 H318 >= 10 % Eye Irrit. 2 H319 >= 5 < 10 %

Other information

Complete text of hazard statements in chapter 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated, soaked clothing immediately and dispose of safely. Clean body thoroughly (bath, shower). In any case show the physician the Safety Data Sheet.

After inhalation

Ensure supply of fresh air. When spray fog inhaled, seek medical aid.

After skin contact

After contact with skin, wash immediately with plenty of water. Take medical treatment.

After eye contact

In case of contact with the eyes, rinse immediately for at least 15 minutes with plenty of water. Summon a doctor immediately.

After ingestion

If swallowed, seek medical advice immediately and show this container or label. Rinse mouth thoroughly with water. Let plenty of water be drunk in small gulps. Do not induce vomiting.

Adhere to personal protective measures when giving first aid

First aider: Pay attention to self-protection!



Version: 3 / GB Replaces Version: 2 / GB Date revised: 10.07.2023 Print date: 12.07.23

4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

4.3. Indication of any immediate medical attention and special treatment needed

Hints for the physician / hazards

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Extinguishing measures to suit surroundings

Non suitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible.

5.3. Advice for firefighters

Special protective equipment for fire-fighting

Do not inhale explosion and/or combustion gases. In case of combustion use a suitable breathing apparatus.

Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains. Fire residues and contaminated fire-fighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing. Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3. Methods and material for containment and cleaning up

Pick up with absorbent material. Dispose of absorbed material in accordance with the regulations.

6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid formation of aerosols. Observe the usual precautions for handling chemicals. Keep container tightly closed.

Advice on protection against fire and explosion

The product is not combustible.

7.2. Conditions for safe storage, including any incompatibilities

Recommended storage temperature

Value > -20 < 30 °C

Requirements for storage rooms and vessels



Version: 3 / GB Replaces Version: 2 / GB Date revised: 10.07.2023 Print date: 12.07.23

Keep in original packaging, tightly closed. Storage rooms must be properly ventilated. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Storage classes

Storage class according to 8B Non-combustible corrosive hazardous substances

TRGS 510

7.3. Specific end use(s)

no data

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limit values

sodium hydroxide

List EH40 Type WEL

Short term exposure limit 2 mg/m³

Other information

There are not known any further control parameters.

8.2. Exposure controls

General protective and hygiene measures

Hold eye wash fountain available. Hold emergency shower available. Do not inhale gases/vapours/aerosols. Avoid contact with skin and eyes. Do not eat, drink or smoke during work time. Wash hands before breaks and after work. Clean skin thoroughly after work; apply skin cream.

Respiratory protection

If workplace limits are exceeded, a respiratory protection approved for this particular job must be worn. Particle filter P2

Hand protection

Chemical resistant gloves

Use	Permanent hand contact				
Appropriate Material	neoprene				
Material thickness	>=	0,65	mm		
Breakthrough time	>	480	min		
Appropriate Material	nitrile				
Material thickness	>=	0,4	mm		
Breakthrough time	>	480	min		
Appropriate Material	butyl				
Material thickness	>=	0,7	mm		
Breakthrough time	>	480	min		
Use	Short-term hand contact				
Appropriate Material	nitrile				
Material thickness	>=	0,11	mm		
Hand protection must comply with EN ISO 374.					

Eye protection

Safety glasses with side protection shield; Eye protection must comply with EN 166.

Body protection

Clothing as usual in the chemical industry. Protective shoes

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state liquid



Version: 3 / GB Replaces Version: 2 / GB Date revised: 10.07.2023 Print date: 12.07.23

Colourbrownish, clearOdourcharacteristic

Melting point

Remarks not determined

Freezing point

Remarks not determined

Boiling point or initial boiling point and boiling range

Remarks not determined

Flammability

evaluation Not applicable

Upper and lower explosive limits

Remarks Not applicable

Flash point

Remarks Not applicable

Ignition temperature

Remarks Not applicable

Decomposition temperature

Remarks

Remarks not determined

pH value

Value appr. 14

Temperature 20 °C

Viscosity

Remarks not determined

Solubility(ies)

Remarks not determined

Partition coefficient n-octanol/water (log value)

Remarks not determined

Vapour pressure

Remarks not determined

Density and/or relative density

Value 1,29 g/cm³

Temperature 20 °C

Relative vapour density

Remarks not determined

9.2. Other information

Odour threshold

Remarks not determined

Evaporation rate (ether = 1):

Remarks not determined

Solubility in water

Remarks miscible in all proportions

Explosive properties

evaluation no

Oxidising properties



Version: 3 / GB Replaces Version: 2 / GB Date revised: 10.07.2023 Print date: 12.07.23

evaluation None known

Other information

None known

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reactions when stored and handled according to prescribed instructions.

10.2. Chemical stability

No hazardous reactions known.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

10.4. Conditions to avoid

No hazardous reactions known.

10.5. Incompatible materials

Strong exothermic reaction with acids. Corrodes aluminium.

10.6. Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

ATE > 2000 mg/kg
Method calculated value (Regulation (EC) No. 1272/2008)

Remarks Based on available data, the classification criteria are not met.

Acute oral toxicity (Components)

C12-C14 alkyldimethylamine oxide

Species rat

LD50 300 to 2000 mg/kg

Method OECD 401

Acute dermal toxicity

Remarks Based on available data, the classification criteria are not met.

Acute inhalational toxicity

Remarks Based on available data, the classification criteria are not met.

Skin corrosion/irritation

evaluation strongly corrosive

Remarks The classification criteria are met.

Serious eye damage/irritation

evaluation strongly corrosive

Remarks The classification criteria are met.

Sensitization

Remarks Based on available data, the classification criteria are not met.

Sensitization (Components)

sodium lauryl ether sulfate

Species guinea pig evaluation non-sensitizing Method OECD 406



Version: 3 / GB Replaces Version: 2 / GB Date revised: 10.07.2023 Print date: 12.07.23

Subacute, subchronic, chronic toxicity

Remarks Based on available data, the classification criteria are not met.

Mutagenicity

Remarks Based on available data, the classification criteria are not met.

Reproductive toxicity

Remarks Based on available data, the classification criteria are not met.

Carcinogenicity

Remarks Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity (STOT)

Single exposure

Remarks Based on available data, the classification criteria are not met.

Repeated exposure

Remarks Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties with respect to humans

The product does not contain a substance that has endocrine disrupting properties with respect to humans.

Experience in practice

Inhalation may lead to irritation of the respiratory tract.

Other information

There is no data available on the product apart from the information given in this subsection.

SECTION 12: Ecological information

12.1. Toxicity

General information

not determined

Fish toxicity (Components)

C12-C14 alkyldimethylamine oxide

Species Fathead minnow (Pimephales promelas) LC50 1 to 10 mg/l

Duration of exposure 96 h

sodium hydroxide

Species rainbow trout (Oncorhynchus mykiss) LC50 45,4 mg/l

Duration of exposure 96 h

sodium lauryl ether sulfate

Species zebra fish (Brachydanio rerio)

LC50 7,1 mg/l

Duration of exposure 96 h

Method OECD 203

Source REACH registration dossier

Daphnia toxicity (Components)

C12-C14 alkyldimethylamine oxide

Species Daphnia magna

EC50 1 to 10 mg/l



Version: 3 / GB Replaces Version: 2 / GB Date revised: 10.07.2023 Print date: 12.07.23

Duration of exposure 48 h

Method OECD 202

sodium hydroxide

Species Daphnia magna

EC50 > 100 mg/l

Duration of exposure 48 h

sodium lauryl ether sulfate

Species Daphnia magna

EC50 7,4 mg/l

Duration of exposure 48 h

Method OECD 202

Source REACH registration dossier

Algae toxicity (Components)

C12-C14 alkyldimethylamine oxide

Species Selenastrum capricornutum

EC50 0,1 to 1 mg/l

Duration of exposure 72 h

Method OECD 201

sodium lauryl ether sulfate

Species Scenedesmus subspicatus

EC50 27,7 mg/l

Duration of exposure 48 h

Method OECD 201

Source REACH registration dossier

Bacteria toxicity (Components)

sodium lauryl ether sulfate

Species Pseudomonas putida

EC10 > 10 g/l

Method DIN 38412 / Part 8

Source REACH registration dossier

12.2. Persistence and degradability

General information

not determined

12.3. Bioaccumulative potential

General information

not determined

Partition coefficient n-octanol/water (log value)

Remarks not determined

12.4. Mobility in soil

General information

not determined

12.5. Results of PBT and vPvB assessment

General information

not determined

Results of PBT and vPvB assessment

The product contains no PBT substances

The product contains no vPvB substances.



Version: 3 / GB Replaces Version: 2 / GB Date revised: 10.07.2023 Print date: 12.07.23

12.6 Endocrine disrupting properties

Endocrine disrupting properties with respect to the envrionment

The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects

General information

not determined

General information / ecology

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations for the product

EWC waste code 18 01 06* chemicals consisting of or containing dangerous substances

EWC waste code 20 01 29* detergents containing dangerous substances

The listed waste code numbers, according to the European Waste Catalogue (EWC), are to be understood as a recommendation. A final decision must be made in agreement with the regional waste disposal company.

Disposal recommendations for packaging

EWC waste code 15 01 02 plastic packaging Completely emptied packagings can be given for recycling.

EWC waste code 15 01 10* packaging containing residues of or contaminated by

dangerous substances

Packaging that cannot be cleaned should be disposed of in agreement with the regional waste disposal company.

SECTION 14: Transport information



Version: 3 / GB Replaces Version: 2 / GB Date revised: 10.07.2023 Print date: 12.07.23

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
Tunnel restriction code	E		
IMDG-Code segregation group		18 Alkalis	
14.1. UN number or ID number	1824	1824	1824
14.2. UN proper shipping name	SODIUM HYDROXIDE SOLUTION	SODIUM HYDROXIDE SOLUTION	SODIUM HYDROXIDE SOLUTION
14.3. Transport hazard class(es)	8	8	8
Label			<u> </u>
14.4. Packing group	II	II	II
Limited Quantity	11	11	
Transport category	2		
14.5. Environmental hazards		no	

Information for all modes of transport

14.6. Special precautions for user See Sections 6 to 8

Other information

14.7 Maritime transport in bulk according to IMO instrumentsNot applicable

SECTION 15: Regulatory information ***

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Ingredients (Regulation (EC) No 648/2004)

5 % or over but less than 15 %: ***

non-ionic surfactants

less than 5 %: ***

anionic surfactants

VOC

VOC (EU) 0 %

Other regulations, restrictions and prohibition regulations

Observe employment restrictions for young people.

Other information

The product does not contain substances of very high concern (SVHC).



Version: 3 / GB Replaces Version: 2 / GB Date revised: 10.07.2023 Print date: 12.07.23

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

SECTION 16: Other information

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification (Regulation (EC) No. 1272/2008)

Skin Corr. 1A H314 Calculation method Eye Dam. 1 H318 Calculation method Met. Corr. 1 H290

Hazard statements listed in Chapter 2/3

H290 May be corrosive to metals. H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage. H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

CLP categories listed in Chapter 2/3

Acute Tox. 4 Acute toxicity, Category 4

Aquatic Acute 1 Hazardous to the aquatic environment, acute, Category 1
Aquatic Chronic 2 Hazardous to the aquatic environment, chronic, Category 2
Aquatic Chronic 3 Hazardous to the aquatic environment, chronic, Category 3

Eye Dam. 1 Serious eye damage, Category 1

Met. Corr. 1 Substance or mixture corrosive to metals, Category 1

Skin Corr. 1A Skin corrosion, Category 1A Skin Irrit. 2 Skin irritation, Category 2

Abbreviations

ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route

RID: Règlement concernant le transport international ferroviaire de marchandises dangereuses

IMDG: International Maritime Code for Dangerous Goods

ICAO: International Civil Aviation Organization IATA: International Air Transport Association

VOC: Volatile Organic Compound

LD: Lethal dose

LC: Lethal concentration

PBT: Persistent, Bioaccumulative and Toxic vPvB: Very persistent and very bioaccumulative

SVHC: Substances of very high concern

MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as modified by

the Protocol of 1978 (MARPOL: Marine Pollution)

IBC: Intermediate Bulk Container CAS: Chemical Abstracts Service

ISO: International Organization for Standardization

OEL: Occupational exposure limit

OECD: Organisation for Economic Co-operation and Development

UN: United Nations

IMO: International Maritime Organization

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: *** This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.



neomoscan S 11						
Version: 3 / GB	Replaces Version: 2 / GB	Date revised: 10.07.2023	Print date: 12.07.23			