



neomoscan[®] CP plus 560

Additive for the pharmaceuticals and cosmetics industry

Liquid concentrate

Fields of application:

- Enhancing the cleaning performance of alkaline solutions for cleaning of production and filling systems using automated CIP processes or circulation processes
- Cleaning of small and detachable parts in cleaning systems
- Can be used as a sole cleaning agent

Performance spectrum:

neomoscan CP plus 560 is a cleaning intensifier with the following properties:

- Outstanding cleaning performance against stubborn residues with high fat, oil and protein content
- Strong complexing and dispersing action
- Good contaminant-carrying capacity
- Defoaming effect at 40 °C or above
- Suitable for stainless steel (1.4301, 1.4571) and alkali-resistant plastics (e.g. PVC, PP) and seals (e.g. EPDM, PTFE)
- When used as an additive, material compatibility is geared towards the basic alkaline component used

Application and dosage:

- neomoscan CP plus 560 is used in combination with alkaline cleaning solutions and alkaline cleaning agents in the neomoscan CP alka range or as a sole cleaning agent.
- When used as a **cleaning intensifier** in CIP or circulation processes: The application concentration is 0.1 – 0.2 % (w/w) depending on soiling, water hardness and application in the temperature range of 40 – 80 °C. In particularly stubborn cases, the concentration can be increased to 0.5 % (w/w).

- **Use as a sole cleaning agent:** The application concentration is 1.0 – 2.0 % (w/w) depending on soiling, water hardness and system in the temperature range of 40 – 80 °C
- The exact application parameters should be determined with the help of practical experiments

General notes on application:

- For professional use only.
- In order to avoid product residues, rinse all surfaces with drinking water or fully deionised water, especially those that come in contact with food or pharmaceutical and cosmetic products, after each cleaning and disinfection measure.
- Do not mix as a concentrate with other products.
- Rinse out the dosing system including suction hoses with water before changing product.
- Dose only from the original container.
- Do not use as a concentrate – only as a working solution.
- Please observe the operating instructions given by the manufacturer of the system/device.
- The weigomatic dosing systems and neomatik dosing devices by Dr. Weigert enable controlled, safe and economical application. We are a specialist company in accordance with the German Water Act (WHG). Suited to the individual conditions and requirements, we plan, install and maintain central and distributed dosing systems.



neomoscan[®] CP plus 560

Determining concentration:

The concentration of application solutions is determined in line with a specific process. A detailed description on the method is available on request.

Further product information for the cleaning validation is available on request.

Technical data:


Appearance	Clear, yellowish liquid
pH value	3.5 (1% in fully deionised water, 20 °C)
Density	Approx. 1.1 g/cm ³ (20 °C)

The product specification may contain deviating test parameters. This specification can be obtained on request.

Ingredients:

Ingredients for cleaning agents according to Regulation (EC) No. 648/2004 on detergents:
< 5% phosphonates, phosphates
5–15% non-ionic surfactants

Storage information:

Always store at a temperature between 0 and 30 °C. Usable for 3 years when stored as recommended. For the expiry date, refer to the stamp mark on the label behind the hourglass symbol .

Changes in the colour of the product may occur when storing in factory-sealed trade units. This has no impact on the properties of the product which are relevant for application.

Hazard and precautionary statements:

For safety information, see Safety Data Sheets. These are available at www.drweigert.com under the category "Service/Downloads".

If applied according to the instructions for use, the product is safe according to the applicable guidelines for food processing.

Dispose only when the container is empty and closed. For disposal of product residues, refer to the Safety Data Sheet.

DS 1018/3-1

Date of issue: 07/2022

The details in this data sheet are based on our current knowledge and experience. They do not exempt users from conducting their own tests and experiments and do not constitute a legally binding commitment regarding specific properties.