

neodisher Septo PreDis ZP

Version: 6 / GB

Replaces Version: 5 / GB

Date revised: 15.09.2023

Print date: 04.12.23

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

neodisher Septo PreDis ZP

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified Uses

PC8	Biocidal products (e.g. Disinfectants, pest control)
PC35	Washing and cleaning products (including solvent based products)

1.3. Details of the supplier of the safety data sheet

Address:

Chemische Fabrik Dr. Weigert GmbH & Co. KG
Mühlenhagen 85
D-20539 Hamburg
Telephone no. +49 40 789 60 0
Fax no. +49 40 789 60 120
www.drweigert.com

E-mail address of person responsible for this SDS:

sida@drweigert.de

1.4. Emergency telephone number

Emergency telephone number: 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (Regulation (EC) No. 1272/2008)

Classification (Regulation (EC) No. 1272/2008)	
Acute Tox. 4	H302
Skin Irrit. 2	H315
Eye Dam. 1	H318
Aquatic Acute 1	H400
Aquatic Chronic 2	H411

The product is classified and labelled in accordance with Regulation (EC) No 1272/2008
For explanation of abbreviations see section 16.

2.2. Label elements

Labelling according to regulation (EC) No 1272/2008

Hazard pictograms



Signal word

Danger

Hazard statements

H302 Harmful if swallowed.

neodisher Septo PreDis ZP

Version: 6 / GB

Replaces Version: 5 / GB

Date revised: 15.09.2023

Print date: 04.12.23

H315 Causes skin irritation.
 H318 Causes serious eye damage.
 H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.
 P280 Wear protective gloves/protective clothing/eye protection/face protection.
 P302+P352 IF ON SKIN: Wash with plenty of soap and water.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 Immediately call a POISON CENTER or doctor.
 Dispose only when container is empty and closed. For disposal of product residues, refer to safety data sheet.

Hazardous component(s) to be indicated on label (Regulation (EC) No. 1272/2008)

contains didecyldimethylammonium chloride;
 N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine; isotridecanol, ethoxylated

2.3. Other hazards

No special hazards have to be mentioned.
 The product contains no PBT substances. The product contains no vPvB substances. This product does not contain a substance that has endocrine disrupting properties with respect to human. The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients

didecyldimethylammonium chloride

CAS No.	7173-51-5		
EINECS no.	230-525-2		
Registration no.	01-2119945987-15		
Concentration	10,0		%
Classification (Regulation (EC) No. 1272/2008)			
	Acute Tox. 4	H302	Route of exposure: oral
	Skin Corr. 1B	H314	
	Eye Dam. 1	H318	
	Aquatic Acute 1	H400	
	Aquatic Chronic 2	H411	

Concentration limits (Regulation (EC) No. 1272/2008)
 Aquatic Acute 1 M = 10

isotridecanol, ethoxylated

CAS No.	69011-36-5		
Concentration	>= 1	< 10	%
Classification (Regulation (EC) No. 1272/2008)			
	Acute Tox. 4	H302	Route of exposure: oral
	Eye Dam. 1	H318	

propan-2-ol

CAS No.	67-63-0		
EINECS no.	200-661-7		
Registration no.	01-2119457558-25		
Concentration	>= 1	< 10	%
Classification (Regulation (EC) No. 1272/2008)			
	Flam. Liq. 2	H225	

neodisher Septo PreDis ZP

Version: 6 / GB

Replaces Version: 5 / GB

Date revised: 15.09.2023

Print date: 04.12.23

Eye Irrit. 2 H319
STOT SE 3 H336

ethanediol

CAS No. 107-21-1
EINECS no. 203-473-3
Registration no. 01-2119456816-28
Concentration ≥ 1 < 10 %
Classification (Regulation (EC) No. 1272/2008)

Acute Tox. 4 H302 Route of exposure: oral
STOT RE 2 H373

cATpE oral 500 mg/kg

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine

CAS No. 2372-82-9
EINECS no. 219-145-8
Registration no. 01-2119980592-29
Concentration 2,0 %
Classification (Regulation (EC) No. 1272/2008)

Acute Tox. 3 H301 Route of exposure: oral
Skin Corr. 1B H314
Eye Dam. 1 H318
STOT RE 2 H373
Aquatic Acute 1 H400
Aquatic Chronic 1 H410

Concentration limits (Regulation (EC) No. 1272/2008)
Aquatic Acute 1 M = 10
ATE oral 243 mg/kg

Other information

Complete text of hazard statements in chapter 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated, soaked clothing immediately and dispose of safely.

After inhalation

Ensure supply of fresh air. In the event of symptoms take medical treatment.

After skin contact

After contact with skin, wash immediately with plenty of water. Consult a doctor if skin irritation persists.

After eye contact

In case of contact with the eyes, rinse immediately for at least 15 minutes with plenty of water. In case of irritation consult an oculist.

After ingestion

Rinse mouth thoroughly with water.

Adhere to personal protective measures when giving first aid

First aider: Pay attention to self-protection!

4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

neodisher Septo PreDis ZP

Version: 6 / GB

Replaces Version: 5 / GB

Date revised: 15.09.2023

Print date: 04.12.23

4.3. Indication of any immediate medical attention and special treatment needed

Hints for the physician / hazards

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Extinguishing measures to suit surroundings

Non suitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible.

5.3. Advice for firefighters

Special protective equipment for fire-fighting

Do not inhale explosion and/or combustion gases. In case of combustion use a suitable breathing apparatus.

Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains. Fire residues and contaminated fire-fighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing. Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3. Methods and material for containment and cleaning up

Pick up with absorbent material. Dispose of absorbed material in accordance with the regulations.

6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid formation of aerosols. Observe the usual precautions for handling chemicals. Keep container tightly closed.

Advice on protection against fire and explosion

The product is combustible.

7.2. Conditions for safe storage, including any incompatibilities

Recommended storage temperature

Value > 0 < 30 °C

Requirements for storage rooms and vessels

Keep in original packaging, tightly closed. Storage rooms must be properly ventilated. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

neodisher Septo PreDis ZP

Version: 6 / GB Replaces Version: 5 / GB Date revised: 15.09.2023 Print date: 04.12.23

Storage classes

Storage class according to TRGS 510	8A	Combustible corrosive hazardous substances
-------------------------------------	----	--

7.3. Specific end use(s)

no data

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limit values

ethanediol

List	EH40		
Type	WEL		
Value	10	mg/m ³	
Skin resorption / sensibilisation: Sk; Remarks: Sk			

ethanediol

List	IOELV		
Type	IOELV		
Value	52	mg/m ³	20 ppm(V)
Short term exposure limit	104	mg/m ³	40 ppm(V)
Skin resorption / sensibilisation: Sk; Remarks: Skin			

propan-2-ol

List	EH40		
Type	WEL		
Value	999	mg/m ³	400 ppm(V)
Short term exposure limit	1250	mg/m ³	500 ppm(V)

Other information

There are not known any further control parameters.

8.2. Exposure controls

General protective and hygiene measures

Hold eye wash fountain available. Do not inhale gases/vapours/aerosols. Avoid contact with skin and eyes. Do not eat, drink or smoke during work time. Wash hands before breaks and after work.

Respiratory protection

Not necessary, but do not inhale vapours. If workplace limits are exceeded, a respiratory protection approved for this particular job must be worn. Respiratory protection mask with combination filter A/P2

Hand protection

Chemical resistant gloves	
Use	Permanent hand contact
Appropriate Material	neoprene
Material thickness	>= 0,65 mm
Breakthrough time	> 480 min
Appropriate Material	nitrile
Material thickness	>= 0,4 mm
Breakthrough time	> 480 min
Appropriate Material	butyl
Material thickness	>= 0,7 mm
Breakthrough time	> 480 min
Use	Short-term hand contact
Appropriate Material	nitrile
Material thickness	>= 0,11 mm
Hand protection must comply with EN ISO 374.	

neodisher Septo PreDis ZP

Version: 6 / GB

Replaces Version: 5 / GB

Date revised: 15.09.2023

Print date: 04.12.23

Eye protection

Safety glasses with side protection shield; Eye protection must comply with EN 166.

Body protection

Clothing as usual in the chemical industry.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state

liquid

Colour

colourless

Odour

characteristic

Melting point

Remarks not determined

Freezing point

Remarks not determined

Boiling point or initial boiling point and boiling range

Remarks not determined

Flammability

evaluation not determined

Upper and lower explosive limits

Remarks not determined

Flash point

Value 57,5 °C
Method Regulation (EC) No. 440/2008, Annex, A.9
Remarks Negative results are obtained in the sustained combustibility test (UN test L.2).

Ignition temperature

Remarks not determined

Decomposition temperature

Remarks
Remarks not determined

pH value

Value appr. 9,4
Temperature 20 °C

Viscosity

kinematic

Value 38,9 mm²/s
Temperature 20 °C

kinematic

Value 11,9 mm²/s
Temperature 40 °C

Solubility(ies)

Remarks not determined

Partition coefficient n-octanol/water (log value)

Remarks not determined

Vapour pressure

Remarks not determined

neodisher Septo PreDis ZP

Version: 6 / GB

Replaces Version: 5 / GB

Date revised: 15.09.2023

Print date: 04.12.23

Density and/or relative density

Value	0,99		g/cm ³
Temperature	20	°C	

Relative vapour density

Remarks not determined

9.2. Other information

Odour threshold

Remarks not determined

Evaporation rate (ether = 1) :

Remarks not determined

Solubility in water

Remarks miscible in all proportions

Explosive properties

evaluation no

Oxidising properties

evaluation None known

Other information

None known

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reactions when stored and handled according to prescribed instructions.

10.2. Chemical stability

No hazardous reactions known.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

10.4. Conditions to avoid

No hazardous reactions known.

10.5. Incompatible materials

None known

10.6. Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

ATE	appr. 1800	mg/kg
Method	calculated value (Regulation (EC) No. 1272/2008)	
Remarks	The classification criteria are met.	

Acute oral toxicity (Components)

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine

Species	rat	
LD50	> 243	mg/kg
Method	OECD 401	

didecyldimethylammonium chloride

neodisher Septo PreDis ZP

Version: 6 / GB

Replaces Version: 5 / GB

Date revised: 15.09.2023

Print date: 04.12.23

Species	rat			
LD50	300	to	2000	mg/kg
Method	OECD 401			

isotridecanol, ethoxylated

Species	rat			
LD50	300	to	2000	mg/kg

propan-2-ol

Species	rat			
LD50	5840			mg/kg
Method	OECD 401			

Acute dermal toxicity

Remarks Based on available data, the classification criteria are not met.

Acute dermal toxicity (Components)

propan-2-ol

Species	rabbit			
LD50	13900			mg/kg
Method	OECD 402			

Acute inhalational toxicity

Remarks Based on available data, the classification criteria are not met.

Acute inhalative toxicity (Components)

propan-2-ol

Species	rat			
LC50	> 25			mg/l
Duration of exposure	6	h		
Administration/Form	Vapors			
Method	OECD 403			

Skin corrosion/irritation

evaluation	irritant
Method	OECD 404
Remarks	The classification criteria are met.

Skin corrosion/irritation (Components)

isotridecanol, ethoxylated

Species	rabbit
evaluation	non-irritant

Serious eye damage/irritation

evaluation	corrosive
Remarks	The classification criteria are met.

Serious eye damage/irritation (Components)

isotridecanol, ethoxylated

Species	rabbit
evaluation	irritant - risk of serious damage to eyes

Sensitization

Remarks Based on available data, the classification criteria are not met.

Subacute, subchronic, chronic toxicity

Remarks Based on available data, the classification criteria are not met.

Mutagenicity

Remarks Based on available data, the classification criteria are not met.

Reproductive toxicity

Remarks Based on available data, the classification criteria are not met.

neodisher Septo PreDis ZP

Version: 6 / GB

Replaces Version: 5 / GB

Date revised: 15.09.2023

Print date: 04.12.23

Carcinogenicity

Remarks Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity (STOT)

Single exposure

Remarks Based on available data, the classification criteria are not met.

Repeated exposure

Remarks Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties with respect to humans

The product does not contain a substance that has endocrine disrupting properties with respect to humans.

Experience in practice

Inhalation may lead to irritation of the respiratory tract.

Other information

There is no data available on the product apart from the information given in this subsection.

SECTION 12: Ecological information

12.1. Toxicity

General information

not determined

Fish toxicity (Components)

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine

Species	zebra fish (<i>Brachydanio rerio</i>)			
LC50	0,1	to	1	mg/l
Duration of exposure	96	h		
Method	OECD 203			

didecyldimethylammonium chloride

Species	zebra fish (<i>Brachydanio rerio</i>)			
LC50	0,97			mg/l
Duration of exposure	96	h		
Method	OECD 203			

isotridecanol, ethoxylated

Species	carp (<i>Cyprinus carpio</i>)			
LC50	1	to	10	mg/l
Duration of exposure	96	h		
Method	OECD 203			

propan-2-ol

Species	Fathead minnow (<i>Pimephales promelas</i>)			
LC50	9640			mg/l
Duration of exposure	96	h		

Daphnia toxicity (Components)

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine

Species	Daphnia magna			
EC50	0,01	to	0,1	mg/l
Duration of exposure	48	h		
Method	OECD 202			

neodisher Septo PreDis ZP

Version: 6 / GB

Replaces Version: 5 / GB

Date revised: 15.09.2023

Print date: 04.12.23

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine

Species	Daphnia magna			
NOEC	0,01	to	0,1	mg/l
Duration of exposure	221	d		
Method	OECD 211			

didecyldimethylammonium chloride

Species	Daphnia magna			
EC50	0,057			mg/l
Duration of exposure	48	h		
Method	OECD 202			

isotridecanol, ethoxylated

Species	Daphnia magna			
EC50	1	to	10	mg/l
Duration of exposure	48	h		
Method	OECD 202			

propan-2-ol

Species	Daphnia magna			
LC50	appr. 10000			mg/l
Duration of exposure	48	h		

Algae toxicity (Components)

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine

Species	Scenedesmus subspicatus			
EC50	0,01	to	0,1	mg/l
Duration of exposure	72	h		
Method	OECD 201			

didecyldimethylammonium chloride

EC50	0,053			mg/l
Duration of exposure	72	h		
Method	OECD 201			

isotridecanol, ethoxylated

Species	Scenedesmus subspicatus			
EC50	1	to	10	mg/l
Duration of exposure	72	h		
Method	OECD 201			

propan-2-ol

Species	Scenedesmus subspicatus			
IC50	> 1000			mg/l
Duration of exposure	72	h		

Bacteria toxicity (Components)

propan-2-ol

Species	activated sludge			
EC50	> 100			mg/l

isotridecanol, ethoxylated

Species	activated sludge			
EC50	140			mg/l

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine

Species	activated sludge			
EC50	18			mg/l
Duration of exposure	3	h		
Method	OECD 209			

12.2. Persistence and degradability

neodisher Septo PreDis ZP

Version: 6 / GB

Replaces Version: 5 / GB

Date revised: 15.09.2023

Print date: 04.12.23

General information

not determined

Biodegradability (Components)

isotridecanol, ethoxylated

evaluation

Readily biodegradable (according to OECD criteria)

12.3. Bioaccumulative potential

General information

not determined

Partition coefficient n-octanol/water (log value)

Remarks

not determined

12.4. Mobility in soil

General information

not determined

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment

The product contains no PBT substances

The product contains no vPvB substances.

12.6 Endocrine disrupting properties

Endocrine disrupting properties with respect to the environment

The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects

General information

not determined

General information / ecology

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations for the product

EWC waste code 18 01 06* chemicals consisting of or containing dangerous substances

EWC waste code 20 01 29* detergents containing dangerous substances

The listed waste code numbers, according to the European Waste Catalogue (EWC), are to be understood as a recommendation. A final decision must be made in agreement with the regional waste disposal company.

Disposal recommendations for packaging

EWC waste code 15 01 02 plastic packaging

Completely emptied packagings can be given for recycling.

EWC waste code 15 01 10* packaging containing residues of or contaminated by dangerous substances

Packaging that cannot be cleaned should be disposed of in agreement with the regional waste disposal company.

SECTION 14: Transport information







neodisher Septo PreDis ZP

Version: 6 / GB

Replaces Version: 5 / GB

Date revised: 15.09.2023

Print date: 04.12.23

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
Tunnel restriction code	-		
IMDG-Code segregation group		0 Not applicable	
14.1. UN number or ID number	3082	3082	3082
14.2. UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (didecyldimethylammonium chloride, N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (didecyldimethylammonium chloride, N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (didecyldimethylammonium chloride, N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine)
14.3. Transport hazard class(es)	9	9	9
Label			
14.4. Packing group	III	III	III
Limited Quantity	5 l	5 l	
Transport category	3		
14.5. Environmental hazards	 ENVIRONMENTALLY HAZARDOUS	Marine Pollutant  ENVIRONMENTALLY HAZARDOUS	 ENVIRONMENTALLY HAZARDOUS

Information for all modes of transport

14.6. Special precautions for user

See Sections 6 to 8

Other information

14.7 Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Major-accident categories acc. 2012/18/EU

Category	E1	Hazardous to the Aquatic Environment	100	tonne	200	tonne
				s		s

neodisher Septo PreDis ZP

Version: 6 / GB

Replaces Version: 5 / GB

Date revised: 15.09.2023

Print date: 04.12.23

Ingredients (Regulation (EC) No 648/2004)

5 % or over but less than 15 %:

non-ionic surfactants

Further ingredients

disinfectants

Water Hazard Class (Germany)

Water Hazard Class (Germany) WGK 2

Remarks Derivation of WGK according to Annex 1 No. 5.2 AwSV

VOC

VOC (EU) 0 %

Other information

The product does not contain substances of very high concern (SVHC).

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

SECTION 16: Other information

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification (Regulation (EC) No. 1272/2008)			
Acute Tox. 4	H302		Calculation method
Skin Irrit. 2	H315		On basis of test data
Eye Dam. 1	H318		Calculation method
Aquatic Acute 1	H400		Calculation method
Aquatic Chronic 2	H411		Calculation method

Hazard statements listed in Chapter 2/3

H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

CLP categories listed in Chapter 2/3

Acute Tox. 3	Acute toxicity, Category 3
Acute Tox. 4	Acute toxicity, Category 4
Aquatic Acute 1	Hazardous to the aquatic environment, acute, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic, Category 2
Eye Dam. 1	Serious eye damage, Category 1
Eye Irrit. 2	Eye irritation, Category 2
Flam. Liq. 2	Flammable liquid, Category 2
Skin Corr. 1B	Skin corrosion, Category 1B
Skin Irrit. 2	Skin irritation, Category 2
STOT RE 2	Specific target organ toxicity - repeated exposure, Category 2

neodisher Septo PreDis ZP

Version: 6 / GB

Replaces Version: 5 / GB

Date revised: 15.09.2023

Print date: 04.12.23

STOT SE 3

Specific target organ toxicity - single exposure, Category 3

Abbreviations

ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route

RID: Règlement concernant le transport international ferroviaire de marchandises dangereuses

IMDG: International Maritime Code for Dangerous Goods

ICAO: International Civil Aviation Organization

IATA: International Air Transport Association

IBC: Intermediate Bulk Container

CAS: Chemical Abstracts Service

VOC: Volatile Organic Compound

LD: Lethal dose

LC: Lethal concentration

PBT: Persistent, Bioaccumulative and Toxic

vPvB: Very persistent and very bioaccumulative

SVHC: Substances of very high concern

MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978 (MARPOL: Marine Pollution)

ISO: International Organization for Standardization

OECD: Organisation for Economic Co-operation and Development

IMO: International Maritime Organization

UN: United Nations

EU: European Union

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: ***

This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.