



# neodisher endo DIS active

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 09.02.2024

Print date: 20.03.24

P310  
 lenses, if present and easy to do. Continue rinsing.  
 Immediately call a POISON CENTER or doctor.  
 Dispose only when container is empty and closed. For disposal of product residues, refer to safety data sheet.

**Hazardous component(s) to be indicated on label (Regulation (EC) No. 1272/2008)**  
 contains sodium carbonate peroxyhydrate

## 2.3. Other hazards

No special hazards have to be mentioned.  
 The product contains no PBT substances. The product contains no vPvB substances. This product does not contain a substance that has endocrine disrupting properties with respect to human. The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Hazardous ingredients

##### sodium carbonate peroxyhydrate

CAS No. 15630-89-4  
 EINECS no. 239-707-6  
 Registration no. 01-2119457268-30  
 Concentration  $\geq 25$  < 50 %  
 Classification (Regulation (EC) No. 1272/2008)  
 Ox. Sol. 3 H272  
 Acute Tox. 4 H302  
 Eye Dam. 1 H318

Concentration limits (Regulation (EC) No. 1272/2008)  
 Eye Dam. 1 H318  $\geq 25$  %  
 Eye Irrit. 2 H319  $\geq 7,5 < 25$  %

ATE oral 1.034 mg/kg

##### citric acid

CAS No. 77-92-9  
 EINECS no. 201-069-1  
 Registration no. 01-2119457026-42  
 Concentration  $\geq 10$  < 20 %  
 Classification (Regulation (EC) No. 1272/2008)  
 Eye Irrit. 2 H319  
 STOT SE 3 H335

##### sodium carbonate

CAS No. 497-19-8  
 EINECS no. 207-838-8  
 Registration no. 01-2119485498-19  
 Concentration  $\geq 1$  < 10 %  
 Classification (Regulation (EC) No. 1272/2008)  
 Eye Irrit. 2 H319

##### fatty alcohol C12-C14, ethoxylated, propoxylated

CAS No. 68439-51-0  
 Concentration  $\geq 1$  < 10 %  
 Classification (Regulation (EC) No. 1272/2008)  
 Aquatic Chronic 3 H412

# neodisher endo DIS active

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 09.02.2024

Print date: 20.03.24

## Other information

Complete text of hazard statements in chapter 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

Remove contaminated clothing immediately and dispose of safely. In any case show the physician the Safety Data Sheet.

#### After inhalation

Ensure supply of fresh air. When dust is intensively inhaled, seek medical help immediately.

#### After skin contact

Wash off immediately with soap and water. Consult a doctor if skin irritation persists.

#### After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). Summon a doctor immediately.

#### After ingestion

If swallowed, seek medical advice immediately and show this container or label. Rinse mouth thoroughly with water. Let plenty of water be drunk in small gulps. Do not induce vomiting.

#### Adhere to personal protective measures when giving first aid

First aider: Pay attention to self-protection!

### 4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

### 4.3. Indication of any immediate medical attention and special treatment needed

#### Hints for the physician / hazards

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

Product itself is non-combustible; adapt fire extinguishing measures to surrounding areas.

#### Non suitable extinguishing media

Full water jet

### 5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible.

### 5.3. Advice for firefighters

#### Special protective equipment for fire-fighting

Do not inhale explosion and/or combustion gases. In case of combustion use a suitable breathing apparatus.

#### Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains. Fire residues and contaminated fire-fighting water must be disposed of in accordance with the local regulations.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

# neodisher endo DIS active

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 09.02.2024

Print date: 20.03.24

Avoid contact with skin, eyes and clothing.

## 6.2. Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Knock down dust with water spray jet.

## 6.3. Methods and material for containment and cleaning up

Pick up mechanically. Dispose of absorbed material in accordance with the regulations.

## 6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Advice on safe handling

Avoid the formation and deposition of dust. Keep container tightly closed.

#### Advice on protection against fire and explosion

Keep away from combustible material.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Recommended storage temperature

Value > 0 < 25 °C

#### Requirements for storage rooms and vessels

Keep in original packaging, tightly closed.

#### Hints on storage assembly

Do not store with combustible materials. Keep away from water.

#### Further information on storage conditions

Protect from heat and direct sunlight.

### 7.3. Specific end use(s)

no data

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Other information

There are not known any further control parameters.

### 8.2. Exposure controls

#### General protective and hygiene measures

Do not inhale dust/fumes/aerosols. Avoid contact with skin and eyes. Do not eat, drink or smoke during work time. Wash hands before breaks and after work. Clean skin thoroughly after work; apply skin cream.

#### Respiratory protection

Use breathing apparatus in dust-laden atmosphere. Particle filter P2

#### Hand protection

Chemical resistant gloves

Use

Appropriate Material

Material thickness

Breakthrough time

Appropriate Material

Material thickness

Breakthrough time

Permanent hand contact

neoprene

>= 0,65 mm

> 480 min

butyl

>= 0,7 mm

> 480 min

# neodisher endo DIS active

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 09.02.2024

Print date: 20.03.24

Appropriate Material	nitrile
Material thickness	>= 0,4 mm
Breakthrough time	> 480 min
Use	Short-term hand contact
Appropriate Material	nitrile
Material thickness	>= 0,11 mm

Hand protection must comply with EN 374.

## Eye protection

Safety glasses with side protection shield; Eye protection must comply with EN 166.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

<b>Physical state</b>	solid
<b>Colour</b>	white
<b>Odour</b>	characteristic
<b>Melting point</b>	
Remarks	not determined
<b>Freezing point</b>	
Remarks	not determined
<b>Boiling point or initial boiling point and boiling range</b>	
Remarks	not determined
<b>Flammability</b>	
evaluation	not determined
<b>Upper and lower explosive limits</b>	
Remarks	Not applicable
<b>Flash point</b>	
Remarks	Not applicable
<b>Auto-ignition temperature</b>	
Remarks	Not applicable
<b>Decomposition temperature</b>	
Remarks	
Remarks	not determined
<b>pH value</b>	
Value	7,6 to 7,9
Concentration/H <sub>2</sub> O	2 %
Temperature	20 °C
<b>Viscosity</b>	
Remarks	Not applicable
<b>Solubility(ies)</b>	
Remarks	not determined
<b>Partition coefficient n-octanol/water (log value)</b>	
Remarks	not determined
<b>Vapour pressure</b>	
Remarks	not determined
<b>Density and/or relative density</b>	
Remarks	not determined
<b>Relative vapour density</b>	

# neodisher endo DIS active

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 09.02.2024

Print date: 20.03.24

Remarks not determined

## 9.2. Other information

### Odour threshold

Remarks not determined

### Evaporation rate (ether = 1) :

Remarks not determined

### Solubility in water

Remarks soluble

### Explosive properties

evaluation not determined

### Oxidising properties

evaluation oxidizing

### Bulk density

Value appr. 800 kg/m<sup>3</sup>

### Burning test

Remarks Not applicable

### Other information

None known

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No hazardous reactions when stored and handled according to prescribed instructions.

### 10.2. Chemical stability

No hazardous reactions known.

### 10.3. Possibility of hazardous reactions

No hazardous reactions known.

### 10.4. Conditions to avoid

Protect from heat and direct sunlight.

### 10.5. Incompatible materials

Acids, Reducing agents

### 10.6. Hazardous decomposition products

Oxygen

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute oral toxicity

ATE appr. 2000 mg/kg  
 Method calculated value (Regulation (EC) No. 1272/2008)  
 Remarks The classification criteria are met.

#### Acute oral toxicity (Components)

##### sodium carbonate peroxyhydrate

Species rat  
 LD50 1034 mg/kg  
 Method Value taken from the literature

##### sodium carbonate

# neodisher endo DIS active

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 09.02.2024

Print date: 20.03.24

Species	rat		
LD50	2800		mg/kg

**fatty alcohol C12-C14, ethoxylated, propoxylated**

Species	rat		
LD50	> 2000		mg/kg
Method	EEC 84/449, B.1		

**citric acid**

Species	rat		
LD50	11700		mg/kg

**citric acid**

Species	mouse		
LD50	5040		mg/kg

**Acute dermal toxicity**

Remarks Based on available data, the classification criteria are not met.

**Acute dermal toxicity (Components)**

**sodium carbonate peroxyhydrate**

Species	rabbit		
LD50	> 2000		mg/kg
Method	OECD 402		

**sodium carbonate**

Species	rabbit		
LD50	> 2000		mg/kg

**fatty alcohol C12-C14, ethoxylated, propoxylated**

Species	rat		
LD50	> 5000		mg/kg

**Acute inhalational toxicity**

Remarks Based on available data, the classification criteria are not met.

**Acute inhalative toxicity (Components)**

**sodium carbonate**

Species	mouse		
LC50	1,2		mg/l
Duration of exposure	2	h	

**sodium carbonate**

Species	rat		
LC50	2,3		mg/l
Duration of exposure	2	h	

**Skin corrosion/irritation**

Remarks Based on available data, the classification criteria are not met.

**Skin corrosion/irritation (Components)**

**sodium carbonate peroxyhydrate**

Remarks Based on available data, the classification criteria are not met.

**Serious eye damage/irritation**

evaluation irritant - risk of serious damage to eyes  
 Remarks The classification criteria are met.

**Serious eye damage/irritation (Components)**

**sodium carbonate peroxyhydrate**

Species	rabbit eye		
evaluation	irritant - risk of serious damage to eyes		
Method	OECD 405		

# neodisher endo DIS active

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 09.02.2024

Print date: 20.03.24

## Sensitization

Remarks Based on available data, the classification criteria are not met.

## Sensitization (Components)

### sodium carbonate peroxyhydrate

Route of exposure dermal  
Species guinea pig  
evaluation non-sensitizing  
Method OECD 406

## Subacute, subchronic, chronic toxicity

Remarks Based on available data, the classification criteria are not met.

## Mutagenicity

Remarks Based on available data, the classification criteria are not met.

## Reproductive toxicity

Remarks Based on available data, the classification criteria are not met.

## Reproduction toxicity (Components)

### sodium carbonate

Remarks No indications of toxic effects were observed in reproduction studies in animals.

## Carcinogenicity

Remarks Based on available data, the classification criteria are not met.

## Specific Target Organ Toxicity (STOT)

### Single exposure

Remarks Based on available data, the classification criteria are not met.

### Repeated exposure

Remarks Based on available data, the classification criteria are not met.

## Aspiration hazard

Based on available data, the classification criteria are not met.

## 11.2. Information on other hazards

### Endocrine disrupting properties with respect to humans

The product does not contain a substance that has endocrine disrupting properties with respect to humans.

### Experience in practice

Inhalation of dusts may irritate the respiratory tract.

### Other information

There is no data available on the product apart from the information given in this subsection.

## SECTION 12: Ecological information

### 12.1. Toxicity

#### General information

not determined

#### Fish toxicity (Components)

##### sodium carbonate peroxyhydrate

Species Fathead minnow (*Pimephales promelas*)  
LC50 70,7 mg/l  
Duration of exposure 96 h

##### sodium carbonate



# neodisher endo DIS active

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 09.02.2024

Print date: 20.03.24

Species	Bluegill ( <i>Lepomis macrochirus</i> )			
LC50	300			mg/l
Duration of exposure	96	h		

**fatty alcohol C12-C14, ethoxylated, propoxylated**

Species	guppy ( <i>Poecilia reticulata</i> )			
LC50	1	to	10	mg/l
Duration of exposure	96	h		
Method	OECD 203			

**citric acid**

Species	golden orfe ( <i>Leuciscus idus</i> )			
LC50	440	to	706	mg/l
Duration of exposure	96	h		

**Daphnia toxicity**

Reference substance sodium carbonate peroxyhydrate

**Daphnia toxicity (Components)**

**sodium carbonate peroxyhydrate**

Species	Daphnia pulex			
EC50	4,9			mg/l
Duration of exposure	48	h		

**sodium carbonate peroxyhydrate**

Species	Daphnia pulex			
NOEC	2			mg/l
Duration of exposure	48	h		

**sodium carbonate**

Species	Ceriodaphnia spec			
EC50	200	to	227	mg/l
Duration of exposure	48	h		

**fatty alcohol C12-C14, ethoxylated, propoxylated**

Species	Daphnia magna			
EC50	1	to	10	mg/l
Duration of exposure	48	h		
Method	OECD 202			

**citric acid**

Species	Daphnia magna			
EC50	120			mg/l
Duration of exposure	72	h		

**Algae toxicity (Components)**

**fatty alcohol C12-C14, ethoxylated, propoxylated**

Species	Scenedesmus subspicatus			
EC50	1	to	10	mg/l
Duration of exposure	72	h		
Method	OECD 201			

**Bacteria toxicity (Components)**

**sodium carbonate peroxyhydrate**

Species	activated sludge			
EC50	466			mg/l
Duration of exposure	30	min		

**fatty alcohol C12-C14, ethoxylated, propoxylated**

Species	Pseudomonas putida			
EC0	> 100			mg/l
Method	OECD 209			

# neodisher endo DIS active

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 09.02.2024

Print date: 20.03.24

## 12.2. Persistence and degradability

### General information

not determined

### Biodegradability (Components)

#### fatty alcohol C12-C14, ethoxylated, propoxylated

evaluation

Readily biodegradable (according to OECD criteria)

### Ready degradability (Components)

citric acid

## 12.3. Bioaccumulative potential

### General information

not determined

### Partition coefficient n-octanol/water (log value)

Remarks

not determined

## 12.4. Mobility in soil

### General information

not determined

## 12.5. Results of PBT and vPvB assessment

### Results of PBT and vPvB assessment

The product contains no PBT substances

The product contains no vPvB substances.

## 12.6 Endocrine disrupting properties

### Endocrine disrupting properties with respect to the environment

The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

## 12.7. Other adverse effects

### General information

not determined

### General information / ecology

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Disposal recommendations for the product

EWC waste code 18 01 06\* chemicals consisting of or containing dangerous substances

EWC waste code 20 01 29\* detergents containing dangerous substances

The listed waste code numbers, according to the European Waste Catalogue (EWC), are to be understood as a recommendation. A final decision must be made in agreement with the regional waste disposal company.

#### Disposal recommendations for packaging

EWC waste code 15 01 02 plastic packaging

Completely emptied packagings can be given for recycling.

EWC waste code 15 01 10\* packaging containing residues of or contaminated by dangerous substances

Packaging that cannot be cleaned should be disposed off in agreement with the regional waste disposal

# neodisher endo DIS active

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 09.02.2024

Print date: 20.03.24

company.

## SECTION 14: Transport information

	Land transport ADR/RID	Marine transport IMDG/GGVSee
<b>14.1. UN number or ID number</b>	The product does not constitute a hazardous substance in land transport.	The product does not constitute a hazardous substance in sea transport.

### Information for all modes of transport

#### 14.6. Special precautions for user

See Sections 6 to 8

### Other information

#### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Ingredients (Regulation (EC) No 648/2004)

##### 30 % and more:

oxygen-based bleaching agents

##### less than 5 %:

non-ionic surfactants, phosphates

#### Water Hazard Class (Germany)

Water Hazard Class WGK 1

(Germany)

Remarks Derivation of WGK according to Annex 1 No. 5.2 AwSV

#### VOC

VOC (EU) 0 %

#### Other information

The product does not contain substances of very high concern (SVHC).

### 15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

## SECTION 16: Other information

### Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification (Regulation (EC) No. 1272/2008)

Acute Tox. 4	H302	Calculation method
Eye Dam. 1	H318	Calculation method

### Hazard statements listed in Chapter 2/3

H272	May intensify fire; oxidizer.
H302	Harmful if swallowed.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.

# neodisher endo DIS active

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 09.02.2024

Print date: 20.03.24

H335  
H412

May cause respiratory irritation.  
Harmful to aquatic life with long lasting effects.

## CLP categories listed in Chapter 2/3

Acute Tox. 4	Acute toxicity, Category 4
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic, Category 3
Eye Dam. 1	Serious eye damage, Category 1
Eye Irrit. 2	Eye irritation, Category 2
Ox. Sol. 3	Oxidising solid, Category 3
STOT SE 3	Specific target organ toxicity - single exposure, Category 3

## Abbreviations

ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route  
RID: Règlement concernant le transport international ferroviaire de marchandises dangereuses  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
ICAO: International Civil Aviation Organization  
VOC: Volatile Organic Compound  
LD: Lethal dose  
LC: Lethal concentration  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: Very persistent and very bioaccumulative  
SVHC: Substances of very high concern

## Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: \*\*\*  
This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.