

neomoscan CP plus 560

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 25.08.2023

Print date: 11.09.23

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

neomoscan CP plus 560

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified Uses

PC35 Washing and cleaning products (including solvent based products)

1.3. Details of the supplier of the safety data sheet

Address:

Chemische Fabrik Dr. Weigert GmbH & Co. KG
Mühlenhagen 85
D-20539 Hamburg
Telephone no. +49 40 789 60 0
Fax no. +49 40 789 60 120
www.drweigert.com

E-mail address of person responsible for this SDS:

sida@drweigert.de

1.4. Emergency telephone number

Emergency telephone number: 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (Regulation (EC) No. 1272/2008)

Classification (Regulation (EC) No. 1272/2008)
Skin Irrit. 2 H315
Eye Dam. 1 H318

The product is classified and labelled in accordance with Regulation (EC) No 1272/2008
For explanation of abbreviations see section 16.

2.2. Label elements

Labelling according to regulation (EC) No 1272/2008

Hazard pictograms



Signal word

Danger

Hazard statements

H315 Causes skin irritation.
H318 Causes serious eye damage.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

neomoscan CP plus 560

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 25.08.2023

Print date: 11.09.23

P302+P352 IF ON SKIN: Wash with plenty of soap and water.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 Immediately call a POISON CENTER or doctor.
 Dispose only when container is empty and closed. For disposal of product residues, refer to safety data sheet.

Hazardous component(s) to be indicated on label (Regulation (EC) No. 1272/2008)
 contains cumenesulphonic acid; fatty alcohol alkoxyolate

2.3. Other hazards

No special hazards have to be mentioned.

The product contains no PBT substances. The product contains no vPvB substances. This product does not contain a substance that has endocrine disrupting properties with respect to human. The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients

fatty alcohol, ethoxylated

CAS No.	146340-16-1			
EINECS no.	604-522-5			
Concentration	>= 1	<	10	%
Classification (Regulation (EC) No. 1272/2008)				
	Skin Irrit. 2		H315	
	Aquatic Acute 1		H400	
	Aquatic Chronic 3		H412	

fatty alcohols, alkoxyated

Registration no.	02-2119552546-34			
Concentration	>= 1	<	10	%
Classification (Regulation (EC) No. 1272/2008)				
	Skin Irrit. 2		H315	
	Aquatic Acute 1		H400	
	Aquatic Chronic 3		H412	

fatty alcohol alkoxyolate

Registration no.	02-2119548491-37			
Concentration	>= 3	<	10	%
Classification (Regulation (EC) No. 1272/2008)				
	Eye Dam. 1		H318	
	Aquatic Acute 1		H400	
	Aquatic Chronic 3		H412	

cumenesulphonic acid

CAS No.	16066-35-6			
EINECS no.	240-210-1			
Registration no.	01-2119538809-24			
Concentration	>= 3	<	10	%
Classification (Regulation (EC) No. 1272/2008)				
	Skin Corr. 1C		H314	
	Eye Dam. 1		H318	

Concentration limits (Regulation (EC) No. 1272/2008)

neomoscan CP plus 560

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 25.08.2023

Print date: 11.09.23

	Skin Irrit. 2	H315	>= 1 <= 20 %
	Eye Dam. 1	H318	>= 1 <= 20 %
ATE	oral	1.410	mg/kg

phosphoric acid, mixed esters with butyl alcohol and ethylene glycol

CAS No.	84962-20-9
EINECS no.	284-716-0
Registration no.	01-2119969464-25
Concentration	>= 1 < 3 %
Classification (Regulation (EC) No. 1272/2008)	
	Eye Dam. 1 H318
	Met. Corr. 1 H290

2-phosphonobutane-1,2,4-tricarboxylic acid

CAS No.	37971-36-1
EINECS no.	253-733-5
Registration no.	01-2119436643-39
Concentration	>= 1 < 10 %
Classification (Regulation (EC) No. 1272/2008)	
	Met. Corr. 1 H290
	Eye Irrit. 2 H319

Other information

Complete text of hazard statements in chapter 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated, soaked clothing immediately and dispose of safely.

After inhalation

Ensure supply of fresh air. In the event of symptoms take medical treatment.

After skin contact

After contact with skin, wash immediately with plenty of water. Consult a doctor if skin irritation persists.

After eye contact

In case of contact with the eyes, rinse immediately for at least 15 minutes with plenty of water. In case of irritation consult an oculist.

After ingestion

Rinse mouth thoroughly with water.

Adhere to personal protective measures when giving first aid

First aider: Pay attention to self-protection!

4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

4.3. Indication of any immediate medical attention and special treatment needed

Hints for the physician / hazards

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

SECTION 5: Firefighting measures

5.1. Extinguishing media

neomoscan CP plus 560

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 25.08.2023

Print date: 11.09.23

Suitable extinguishing media

Product itself is non-combustible; adapt fire extinguishing measures to surrounding areas.

Non suitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible.

5.3. Advice for firefighters

Special protective equipment for fire-fighting

Do not inhale explosion and/or combustion gases. In case of combustion use a suitable breathing apparatus.

Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains. Fire residues and contaminated fire-fighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing. Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3. Methods and material for containment and cleaning up

Pick up with absorbent material. Dispose of absorbed material in accordance with the regulations.

6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid formation of aerosols. Observe the usual precautions for handling chemicals. Keep container tightly closed.

Advice on protection against fire and explosion

The product is not combustible.

7.2. Conditions for safe storage, including any incompatibilities

Recommended storage temperature

Value > 0 < 30 °C

Requirements for storage rooms and vessels

Keep in original packaging, tightly closed. Storage rooms must be properly ventilated. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Storage classes

Storage class according to TRGS 510 12 Non-combustible liquids

7.3. Specific end use(s)

no data

SECTION 8: Exposure controls/personal protection

neomoscan CP plus 560

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 25.08.2023

Print date: 11.09.23

8.1. Control parameters

Other information

There are not known any further control parameters.

8.2. Exposure controls

General protective and hygiene measures

Hold eye wash fountain available. Do not inhale gases/vapours/aerosols. Avoid contact with skin and eyes. Do not eat, drink or smoke during work time. Wash hands before breaks and after work.

Respiratory protection

Not necessary, but do not inhale vapours. If workplace limits are exceeded, a respiratory protection approved for this particular job must be worn.

Hand protection

Chemical resistant gloves

Use	Permanent hand contact
Appropriate Material	neoprene
Material thickness	\geq 0,65 mm
Breakthrough time	$>$ 480 min
Appropriate Material	nitrile
Material thickness	\geq 0,4 mm
Breakthrough time	$>$ 480 min
Appropriate Material	butyl
Material thickness	\geq 0,7 mm
Breakthrough time	$>$ 480 min
Use	Short-term hand contact
Appropriate Material	nitrile
Material thickness	\geq 0,11 mm

Hand protection must comply with EN ISO 374.

Eye protection

Safety glasses with side protection shield; Eye protection must comply with EN 166.

Body protection

Clothing as usual in the chemical industry.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	yellow, clear
Odour	characteristic
Melting point	
Remarks	not determined
Freezing point	
Remarks	not determined
Boiling point or initial boiling point and boiling range	
Remarks	not determined
Flammability	
evaluation	Not applicable
Upper and lower explosive limits	
Remarks	Not applicable
Flash point	
Remarks	Not applicable

neomoscan CP plus 560

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 25.08.2023

Print date: 11.09.23

Ignition temperature

Remarks Not applicable

Decomposition temperature

Remarks

Remarks not determined

pH value

Value appr. 1,7
Temperature 20 °C

Viscosity

Remarks not determined

Solubility(ies)

Remarks not determined

Partition coefficient n-octanol/water (log value)

Remarks not determined

Vapour pressure

Remarks not determined

Density and/or relative density

Value 1,08 g/cm³
Temperature 20 °C

Relative vapour density

Remarks not determined

9.2. Other information

Odour threshold

Remarks not determined

Evaporation rate (ether = 1) :

Remarks not determined

Solubility in water

Remarks miscible in all proportions

Explosive properties

evaluation no

Oxidising properties

evaluation None known

Other information

None known

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reactions when stored and handled according to prescribed instructions.

10.2. Chemical stability

No hazardous reactions known.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

10.4. Conditions to avoid

No hazardous reactions known.

neomoscan CP plus 560

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 25.08.2023

Print date: 11.09.23

10.5. Incompatible materials

None known

10.6. Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

ATE	>	2000	mg/kg
Method	calculated value (Regulation (EC) No. 1272/2008)		
Remarks	Based on available data, the classification criteria are not met.		

Acute oral toxicity (Components)

fatty alcohol, ethoxylated

Species	rat		
LD50	>	2000	mg/kg

cumenesulphonic acid

Species	rat		
LD50		1410	mg/kg
Source	ECHA		

Acute dermal toxicity

Remarks Based on available data, the classification criteria are not met.

Acute inhalational toxicity

Remarks Based on available data, the classification criteria are not met.

Skin corrosion/irritation

evaluation	irritant
Remarks	The classification criteria are met.

Skin corrosion/irritation (Components)

cumenesulphonic acid

Species	rabbit		
Duration of exposure	4	h	
Observation Period	7	Days	
evaluation	corrosive		
Method	OECD 404		
Source	ECHA		

Serious eye damage/irritation

evaluation	corrosive
Remarks	The classification criteria are met.

Serious eye damage/irritation (Components)

cumenesulphonic acid

Species	rabbit eye		
Duration of exposure	30	s	
Observation Period	14	Days	
evaluation	corrosive		
Source	ECHA		

Sensitization

Remarks Based on available data, the classification criteria are not met.

Sensitization (Components)

cumenesulphonic acid

neomoscan CP plus 560

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 25.08.2023

Print date: 11.09.23

evaluation non-sensitizing
Source ECHA

Subacute, subchronic, chronic toxicity

Remarks Based on available data, the classification criteria are not met.

Mutagenicity

Remarks Based on available data, the classification criteria are not met.

Mutagenicity (Components)

cumenesulphonic acid

evaluation Based on available data, the classification criteria are not met.
Source ECHA

Reproductive toxicity

Remarks Based on available data, the classification criteria are not met.

Reproduction toxicity (Components)

cumenesulphonic acid

evaluation Based on available data, the classification criteria are not met.
Source ECHA

Carcinogenicity

Remarks Based on available data, the classification criteria are not met.

Carcinogenicity (Components)

cumenesulphonic acid

evaluation Based on available data, the classification criteria are not met.
Source ECHA

Specific Target Organ Toxicity (STOT)

Single exposure

Remarks Based on available data, the classification criteria are not met.

Repeated exposure

Remarks Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties with respect to humans

The product does not contain a substance that has endocrine disrupting properties with respect to humans.

Experience in practice

Inhalation may lead to irritation of the respiratory tract.

Other information

There is no data available on the product apart from the information given in this subsection.

SECTION 12: Ecological information

12.1. Toxicity

General information

not determined

Fish toxicity (Components)

fatty alcohol alkoxyate

Species	golden orfe (<i>Leuciscus idus</i>)		
LC50	0,1	to	1 mg/l

neomoscan CP plus 560

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 25.08.2023

Print date: 11.09.23

Duration of exposure 96 h

fatty alcohol, ethoxylated

Species golden orfe (*Leuciscus idus*)
 LC50 0,6 mg/l
 Method DIN 38412 / Part 15

cumenesulphonic acid

Species golden orfe (*Leuciscus idus*)
 LC50 325 mg/l
 Duration of exposure 96 h
 Method OECD 203
 Source ECHA

Daphnia toxicity (Components)

fatty alcohol alkoxyate

EC50 0,1 to 1 mg/l
 Duration of exposure 48 h

fatty alcohol, ethoxylated

LC50 1,2 mg/l
 Method DIN 38412 / Part 11

cumenesulphonic acid

Species *Daphnia magna*
 EC50 = 100 mg/l
 Duration of exposure 48 h
 Method OECD 202
 Source ECHA

Algae toxicity (Components)

fatty alcohol alkoxyate

Species *Scenedesmus subspicatus*
 EC50 0,1 to 1 mg/l
 Duration of exposure 72 h
 Method OECD 201

cumenesulphonic acid

Species *Selenastrum capricornutum*
 EC50 73 mg/l
 Duration of exposure 72 h
 Method OECD 201
 Source ECHA

Bacteria toxicity (Components)

cumenesulphonic acid

Species activated sludge
 EC10 580 mg/l
 Duration of exposure 3 h
 Source ECHA

12.2. Persistence and degradability

General information

not determined

Biodegradability (Components)

cumenesulphonic acid

evaluation Readily biodegradable (according to OECD criteria)
 Source ECHA

Ready degradability (Components)

neomoscan CP plus 560

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 25.08.2023

Print date: 11.09.23

fatty alcohol, ethoxylated

Chemical oxygen demand (COD) (Components)

fatty alcohols, alkoxyated

Value	2380	mg/g
-------	------	------

12.3. Bioaccumulative potential

General information

not determined

Partition coefficient n-octanol/water (log value)

Remarks	not determined
---------	----------------

12.4. Mobility in soil

General information

not determined

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment

The product contains no PBT substances
The product contains no vPvB substances.

12.6 Endocrine disrupting properties

Endocrine disrupting properties with respect to the environment

The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects

General information

not determined

General information / ecology

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations for the product

EWC waste code	18 01 06*	chemicals consisting of or containing dangerous substances
EWC waste code	20 01 29*	detergents containing dangerous substances

The listed waste code numbers, according to the European Waste Catalogue (EWC), are to be understood as a recommendation. A final decision must be made in agreement with the regional waste disposal company.

Disposal recommendations for packaging

EWC waste code	15 01 02	plastic packaging
----------------	----------	-------------------

Completely emptied packagings can be given for recycling.

EWC waste code	15 01 10*	packaging containing residues of or contaminated by dangerous substances
----------------	-----------	--

Packaging that cannot be cleaned should be disposed of in agreement with the regional waste disposal company.

SECTION 14: Transport information

neomoscan CP plus 560

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 25.08.2023

Print date: 11.09.23

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
14.1. UN number or ID number	The product does not constitute a hazardous substance in land transport.	The product does not constitute a hazardous substance in sea transport.	The product does not constitute a hazardous substance in air transport.

Information for all modes of transport

14.6. Special precautions for user

See Sections 6 to 8

Other information

14.7 Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Ingredients (Regulation (EC) No 648/2004)

15 % or over but less than 30 %:

non-ionic surfactants

less than 5 %:

phosphates, phosphonates

VOC

VOC (EU) 0 %

Other information

The product does not contain substances of very high concern (SVHC).

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

SECTION 16: Other information

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification (Regulation (EC) No. 1272/2008)

Skin Irrit. 2	H315
Eye Dam. 1	H318

Hazard statements listed in Chapter 2/3

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H412	Harmful to aquatic life with long lasting effects.

CLP categories listed in Chapter 2/3

Aquatic Acute 1	Hazardous to the aquatic environment, acute, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic, Category 3
Eye Dam. 1	Serious eye damage, Category 1

neomoscan CP plus 560

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 25.08.2023

Print date: 11.09.23

Eye Irrit. 2
Met. Corr. 1
Skin Corr. 1C
Skin Irrit. 2

Eye irritation, Category 2
Substance or mixture corrosive to metals, Category 1
Skin corrosion, Category 1C
Skin irritation, Category 2

Abbreviations

ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route
RID: Règlement concernant le transport international ferroviaire de marchandises dangereuses
IMDG: International Maritime Code for Dangerous Goods
ICAO: International Civil Aviation Organization
IATA: International Air Transport Association
IBC: Intermediate Bulk Container
CAS: Chemical Abstracts Service
VOC: Volatile Organic Compound
LD: Lethal dose
LC: Lethal concentration
PBT: Persistent, Bioaccumulative and Toxic
vPvB: Very persistent and very bioaccumulative
SVHC: Substances of very high concern
MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978 (MARPOL: Marine Pollution)
ISO: International Organization for Standardization
OECD: Organisation for Economic Co-operation and Development
IMO: International Maritime Organization
UN: United Nations
EU: European Union

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: ***
This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.