

neomoscan TE-S 150

Version: 1 / GB

Replaces Version: - / GB

Date revised: 01.03.2023

Print date: 19.06.23

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

neomoscan TE-S 150

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified Uses

PC8	Biocidal products (e.g. Disinfectants, pest control)
PC35	Washing and cleaning products (including solvent based products)

1.3. Details of the supplier of the safety data sheet

Address:

Chemische Fabrik Dr. Weigert GmbH & Co. KG
Mühlenhagen 85
D-20539 Hamburg
Telephone no. +49 40 789 60 0
Fax no. +49 40 789 60 120
www.drweigert.com

E-mail address of person responsible for this SDS:

sida@drweigert.de

1.4. Emergency telephone number

Emergency telephone number: 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (Regulation (EC) No. 1272/2008)

Classification (Regulation (EC) No. 1272/2008)	
Met. Corr. 1	H290
Skin Corr. 1A	H314
Eye Dam. 1	H318
Aquatic Acute 1	H400
Aquatic Chronic 2	H411

The product is classified and labelled in accordance with Regulation (EC) No 1272/2008
For explanation of abbreviations see section 16.

2.2. Label elements

Labelling according to regulation (EC) No 1272/2008

Hazard pictograms



Signal word

Danger

Hazard statements

H290 May be corrosive to metals.

neomoscan TE-S 150

Version: 1 / GB

Replaces Version: - / GB

Date revised: 01.03.2023

Print date: 19.06.23

H314 Causes severe skin burns and eye damage.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P273 Avoid release to the environment.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER or doctor.
Dispose only when container is empty and closed. For disposal of product residues, refer to safety data sheet.

Hazardous component(s) to be indicated on label (Regulation (EC) No. 1272/2008)

contains sodium hydroxide; potassium hydroxide; sodium hypochlorite, solution; C12-C14 alkyldimethylamine oxide

Supplemental information

Further supplemental information

Contact with acids liberates toxic gas.

2.3. Other hazards

No special hazards have to be mentioned.

The product contains no PBT substances. The product contains no vPvB substances. This product does not contain a substance that has endocrine disrupting properties with respect to human. The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients

sodium hydroxide

CAS No. 1310-73-2
EINECS no. 215-185-5
Registration no. 01-2119457892-27
Concentration ≥ 1 < 5 %
Classification (Regulation (EC) No. 1272/2008)
Met. Corr. 1 H290
Skin Corr. 1A H314
Eye Dam. 1 H318

Concentration limits (Regulation (EC) No. 1272/2008)

Eye Irrit. 2 H319 $\geq 0,5 < 2$ %
Skin Corr. 1A H314 ≥ 5 %
Skin Corr. 1B H314 $\geq 2 < 5$ %
Skin Irrit. 2 H315 $\geq 0,5 < 2$ %

potassium hydroxide

CAS No. 1310-58-3
EINECS no. 215-181-3
Registration no. 01-2119487136-33
Concentration ≥ 1 < 5 %
Classification (Regulation (EC) No. 1272/2008)
Met. Corr. 1 H290
Acute Tox. 4 H302
Route of exposure: oral

neomoscan TE-S 150

Version: 1 / GB

Replaces Version: - / GB

Date revised: 01.03.2023

Print date: 19.06.23

Skin Corr. 1A	H314
Eye Dam. 1	H318

Concentration limits (Regulation (EC) No. 1272/2008)

Eye Irrit. 2	H319	>= 0,5 < 2 %
Skin Corr. 1A	H314	>= 5 %
Skin Corr. 1B	H314	>= 2 < 5 %
Skin Irrit. 2	H315	>= 0,5 < 2 %

sodium hypochlorite, solution

CAS No.	7681-52-9
EINECS no.	231-668-3
Registration no.	01-2119488154-34
Concentration	>= 1 < 5 %
Classification (Regulation (EC) No. 1272/2008)	
Met. Corr. 1	H290
Skin Corr. 1B	H314
Eye Dam. 1	H318
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

Concentration limits (Regulation (EC) No. 1272/2008)

	EUH031	>= 5 %
Aquatic Acute 1		M = 10
Aquatic Chronic 1		M = 1

Additional remarks:

CLP Regulation (EC) No 1272/2008, Annex VI, Note B

C12-C14 alkyldimethylamine oxide

CAS No.	308062-28-4	
EINECS no.	931-292-6	
Registration no.	01-2119490061-47	
Concentration	>= 1 < 5 %	
Classification (Regulation (EC) No. 1272/2008)		
Acute Tox. 4	H302	Route of exposure: oral
Skin Irrit. 2	H315	
Eye Dam. 1	H318	
Aquatic Acute 1	H400	
Aquatic Chronic 2	H411	

Other information

Complete text of hazard statements in chapter 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated, soaked clothing immediately and dispose of safely. Clean body thoroughly (bath, shower). In any case show the physician the Safety Data Sheet.

After inhalation

Ensure supply of fresh air. When spray fog inhaled, seek medical aid.

After skin contact

After contact with skin, wash immediately with plenty of water. Take medical treatment.

After eye contact

In case of contact with the eyes, rinse immediately for at least 15 minutes with plenty of water. Summon a

neomoscan TE-S 150

Version: 1 / GB

Replaces Version: - / GB

Date revised: 01.03.2023

Print date: 19.06.23

doctor immediately.

After ingestion

If swallowed, seek medical advice immediately and show this container or label. Rinse mouth thoroughly with water. Let plenty of water be drunk in small gulps. Do not induce vomiting.

Adhere to personal protective measures when giving first aid

First aider: Pay attention to self-protection!

4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

4.3. Indication of any immediate medical attention and special treatment needed

Hints for the physician / hazards

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Product itself is non-combustible; adapt fire extinguishing measures to surrounding areas.

Non suitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible.

5.3. Advice for firefighters

Special protective equipment for fire-fighting

Do not inhale explosion and/or combustion gases. In case of combustion use a suitable breathing apparatus.

Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains. Fire residues and contaminated fire-fighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing. Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3. Methods and material for containment and cleaning up

Pick up with absorbent material. Dispose of absorbed material in accordance with the regulations.

6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid formation of aerosols. Observe the usual precautions for handling chemicals. Keep container tightly closed.

neomoscan TE-S 150

Version: 1 / GB

Replaces Version: - / GB

Date revised: 01.03.2023

Print date: 19.06.23

Advice on protection against fire and explosion

The product is not combustible.

7.2. Conditions for safe storage, including any incompatibilities

Recommended storage temperature

Value > 4 < 24 °C

Requirements for storage rooms and vessels

Keep in original packaging, tightly closed. Storage rooms must be properly ventilated. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Storage classes

Storage class according to TRGS 510 8B Non-combustible corrosive hazardous substances

Further information on storage conditions

Protect from heat and direct sunlight. Do not keep the container sealed.

7.3. Specific end use(s)

no data

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limit values

potassium hydroxide ...%

List	EH40	
Type	WEL	
Short term exposure limit	2	mg/m ³

sodium hydroxide

List	EH40	
Type	WEL	
Short term exposure limit	2	mg/m ³

Other information

There are not known any further control parameters.

8.2. Exposure controls

General protective and hygiene measures

Hold eye wash fountain available. Hold emergency shower available. Do not inhale gases/vapours/aerosols. Avoid contact with skin and eyes. Do not eat, drink or smoke during work time. Wash hands before breaks and after work. Clean skin thoroughly after work; apply skin cream.

Respiratory protection

If workplace limits are exceeded, a respiratory protection approved for this particular job must be worn. Short term: filter apparatus, combination filter B-P3

Hand protection

Chemical resistant gloves			
Use	Permanent hand contact		
Appropriate Material	neoprene		
Material thickness	>=	0,65	mm
Breakthrough time	>	480	min
Appropriate Material	nitrile		
Material thickness	>=	0,4	mm
Breakthrough time	>	480	min
Appropriate Material	butyl		
Material thickness	>=	0,7	mm

neomoscan TE-S 150

Version: 1 / GB

Replaces Version: - / GB

Date revised: 01.03.2023

Print date: 19.06.23

Breakthrough time > 480 min
Use Short-term hand contact
Appropriate Material nitrile
Material thickness \geq 0,11 mm
Hand protection must comply with EN ISO 374.

Eye protection

Safety glasses with side protection shield; Eye protection must comply with EN 166.

Body protection

Clothing as usual in the chemical industry. Protective shoes

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state liquid, clear

Colour yellowish

Odour characteristic

Melting point

Remarks not determined

Freezing point

Remarks not determined

Boiling point or initial boiling point and boiling range

Remarks not determined

Flammability

evaluation Not applicable

Upper and lower explosive limits

Remarks Not applicable

Flash point

Remarks Not applicable

Ignition temperature

Remarks Not applicable

Decomposition temperature

Remarks
Remarks not determined

pH value

Value appr. 12
Concentration/H₂O 1 %
Temperature 20 °C

Viscosity

Remarks not determined

Solubility(ies)

Remarks not determined

Partition coefficient n-octanol/water (log value)

Remarks not determined

Vapour pressure

Remarks not determined

Density and/or relative density

Value appr. 1,15 g/cm³
Temperature 20 °C

neomoscan TE-S 150

Version: 1 / GB

Replaces Version: - / GB

Date revised: 01.03.2023

Print date: 19.06.23

Relative vapour density

Remarks not determined

9.2. Other information

Odour threshold

Remarks not determined

Evaporation rate (ether = 1) :

Remarks not determined

Solubility in water

Remarks miscible in all proportions

Explosive properties

evaluation no

Oxidising properties

evaluation None known

Other information

None known

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reactions when stored and handled according to prescribed instructions.

10.2. Chemical stability

No hazardous reactions known.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

10.4. Conditions to avoid

Do not keep the container sealed. Protect from heat and direct sunlight.

10.5. Incompatible materials

Strong exothermic reaction with acids. Evolution of chlorine under influence of acids. Corrodes aluminium.

10.6. Hazardous decomposition products

Chlorine, Irritant gases/vapours

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

ATE	>	2000	mg/kg
Method	calculated value (Regulation (EC) No. 1272/2008)		
Remarks	Based on available data, the classification criteria are not met.		

Acute oral toxicity (Components)

C12-C14 alkyl dimethylamine oxide

Species	rat			
LD50		300	to	2000 mg/kg
Method	OECD 401			

potassium hydroxide ...%

Species	rat			
LD50		333		mg/kg

neomoscan TE-S 150

Version: 1 / GB

Replaces Version: - / GB

Date revised: 01.03.2023

Print date: 19.06.23

Acute dermal toxicity

Remarks Based on available data, the classification criteria are not met.

Acute dermal toxicity (Components)

sodium hypochlorite, solution... % Cl active

Species	rabbit	
LD50	> 20000	mg/kg
Method	OECD 402	

Acute inhalational toxicity

Remarks Based on available data, the classification criteria are not met.

Skin corrosion/irritation

evaluation strongly corrosive
Remarks The classification criteria are met.

Serious eye damage/irritation

evaluation strongly corrosive
Remarks The classification criteria are met.

Sensitization

Remarks Based on available data, the classification criteria are not met.

Subacute, subchronic, chronic toxicity

Remarks Based on available data, the classification criteria are not met.

Mutagenicity

Remarks Based on available data, the classification criteria are not met.

Reproductive toxicity

Remarks Based on available data, the classification criteria are not met.

Carcinogenicity

Remarks Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity (STOT)

Single exposure

Remarks Based on available data, the classification criteria are not met.

Repeated exposure

Remarks Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties with respect to humans

The product does not contain a substance that has endocrine disrupting properties with respect to humans.

Experience in practice

Inhalation may lead to irritation of the respiratory tract.

Other information

There is no data available on the product apart from the information given in this subsection.

SECTION 12: Ecological information

12.1. Toxicity

General information

not determined

neomoscan TE-S 150

Version: 1 / GB

Replaces Version: - / GB

Date revised: 01.03.2023

Print date: 19.06.23

Fish toxicity (Components)

C12-C14 alkyldimethylamine oxide

Species	Fathead minnow (<i>Pimephales promelas</i>)			
LC50	1	to	10	mg/l
Duration of exposure	96	h		

potassium hydroxide ...%

Species	mosquito fish			
LC50	80	mg/l		
Duration of exposure	24	h		
Source	ECHA			

sodium hydroxide

Species	rainbow trout (<i>Oncorhynchus mykiss</i>)			
LC50	45,4	mg/l		
Duration of exposure	96	h		

sodium hypochlorite, solution... % Cl active

Species	rainbow trout (<i>Oncorhynchus mykiss</i>)			
LC50	0,06	mg/l		
Duration of exposure	96	h		

Daphnia toxicity (Components)

C12-C14 alkyldimethylamine oxide

Species	Daphnia magna			
EC50	1	to	10	mg/l
Duration of exposure	48	h		
Method	OECD 202			

sodium hydroxide

Species	Daphnia magna			
EC50	> 100	mg/l		
Duration of exposure	48	h		

sodium hypochlorite, solution... % Cl active

Species	Daphnia magna			
EC50	0,141	mg/l		
Duration of exposure	48	h		
Method	OECD 202			

Algae toxicity (Components)

C12-C14 alkyldimethylamine oxide

Species	Selenastrum capricornutum			
EC50	0,1	to	1	mg/l
Duration of exposure	72	h		
Method	OECD 201			

Bacteria toxicity (Components)

sodium hypochlorite, solution... % Cl active

Species	activated sludge			
EC50	77,1	mg/l		
Duration of exposure	3	h		
Method	OECD 209			

12.2. Persistence and degradability

General information

not determined

12.3. Bioaccumulative potential

General information

neomoscan TE-S 150

Version: 1 / GB

Replaces Version: - / GB

Date revised: 01.03.2023

Print date: 19.06.23

not determined

Partition coefficient n-octanol/water (log value)

Remarks

not determined

12.4. Mobility in soil

General information

not determined

12.5. Results of PBT and vPvB assessment

General information

not determined

Results of PBT and vPvB assessment

The product contains no PBT or vPvB substances.

12.6 Endocrine disrupting properties

Endocrine disrupting properties with respect to the environment

The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects

General information

not determined

General information / ecology

Do not allow to enter soil, waterways or waste water canal. Avoid release into the atmosphere.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations for the product

EWC waste code	18 01 06*	chemicals consisting of or containing dangerous substances
EWC waste code	20 01 15*	alkalines
EWC waste code	20 01 29*	detergents containing dangerous substances

The listed waste code numbers, according to the European Waste Catalogue (EWC), are to be understood as a recommendation. A final decision must be made in agreement with the regional waste disposal company.

Disposal recommendations for packaging

EWC waste code	15 01 02	plastic packaging
----------------	----------	-------------------

Completely emptied packagings can be given for recycling.

EWC waste code	15 01 10*	packaging containing residues of or contaminated by dangerous substances
----------------	-----------	--

Packaging that cannot be cleaned should be disposed off in agreement with the regional waste disposal company.

SECTION 14: Transport information







neomoscan TE-S 150

Version: 1 / GB

Replaces Version: - / GB

Date revised: 01.03.2023

Print date: 19.06.23

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
Tunnel restriction code	E		
IMDG-Code segregation group		18 Alkalis	
14.1. UN number or ID number	1719	1719	1719
14.2. UN proper shipping name	CAUSTIC ALKALI LIQUID, N.O.S. (sodium hydroxide, sodium hypochlorite, solution)	CAUSTIC ALKALI LIQUID, N.O.S. (sodium hydroxide, sodium hypochlorite, solution)	CAUSTIC ALKALI LIQUID, N.O.S. (sodium hydroxide, sodium hypochlorite, solution)
14.3. Transport hazard class(es)	8	8	8
Label			
14.4. Packing group	II	II	II
Limited Quantity	1 I	1 I	
Transport category	2		
14.5. Environmental hazards	 ENVIRONMENTALLY HAZARDOUS	Marine Pollutant  ENVIRONMENTALLY HAZARDOUS	 ENVIRONMENTALLY HAZARDOUS

Information for all modes of transport

14.6. Special precautions for user

See Sections 6 to 8

Other information

14.7 Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Major-accident categories acc. 2012/18/EU

Category	E1	Hazardous to the Aquatic Environment	100	tonne	200	tonne
				s		s

Ingredients (Regulation (EC) No 648/2004)

less than 5 %:

neomoscan TE-S 150

Version: 1 / GB

Replaces Version: - / GB

Date revised: 01.03.2023

Print date: 19.06.23

chlorine-based bleaching agents, phosphates, phosphonates, polycarboxylates

VOC

VOC (EU) 0 %

Other information

The product does not contain substances of very high concern (SVHC).

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

SECTION 16: Other information

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification (Regulation (EC) No. 1272/2008)

Met. Corr. 1	H290	Expert judgement
Skin Corr. 1A	H314	Calculation method
Eye Dam. 1	H318	Calculation method
Aquatic Acute 1	H400	Calculation method
Aquatic Chronic 2	H411	Calculation method

Hazard statements listed in Chapter 2/3

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

CLP categories listed in Chapter 2/3

Acute Tox. 4	Acute toxicity, Category 4
Aquatic Acute 1	Hazardous to the aquatic environment, acute, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic, Category 2
Eye Dam. 1	Serious eye damage, Category 1
Met. Corr. 1	Substance or mixture corrosive to metals, Category 1
Skin Corr. 1A	Skin corrosion, Category 1A
Skin Corr. 1B	Skin corrosion, Category 1B
Skin Irrit. 2	Skin irritation, Category 2

Abbreviations

ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route
RID: Règlement concernant le transport international ferroviaire de marchandises dangereuses
IMDG: International Maritime Code for Dangerous Goods
ICAO: International Civil Aviation Organization
IATA: International Air Transport Association
VOC: Volatile Organic Compound
LD: Lethal dose
LC: Lethal concentration
PBT: Persistent, Bioaccumulative and Toxic
vPvB: Very persistent and very bioaccumulative
SVHC: Substances of very high concern
UN: United Nations

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: ***

neomoscan TE-S 150

Version: 1 / GB

Replaces Version: - / GB

Date revised: 01.03.2023

Print date: 19.06.23

This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.