

neodisher Dekonta Med Print date: 11.09.23 Replaces Version: 2 / GB Date revised: 11.09.2023 Version: 3 / GB SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier neodisher Dekonta Med 1.2. Relevant identified uses of the substance or mixture and uses advised against **Identified Uses** PC8 Biocidal products (e.g. Disinfectants, pest control) **PC35** Washing and cleaning products (including solvent based products) 1.3. Details of the supplier of the safety data sheet Address: Chemische Fabrik Dr. Weigert GmbH & Co. KG Mühlenhagen 85 D-20539 Hamburg Telephone no. +49 40 789 60 0 Fax no. +49 40 789 60 120 www.drweigert.com E-mail address of person responsible for this SDS: sida@drweigert.de 1.4. Emergency telephone number Emergency telephone number: 112 **SECTION 2: Hazards identification** 2.1. Classification of the substance or mixture Classification (Regulation (EC) No. 1272/2008) Classification (Regulation (EC) No. 1272/2008) Skin Irrit. 2 H315 Eve Irrit. 2 H319 Aquatic Acute 1 H400 Aquatic Chronic 2 H411 The product is classified and labelled in accordance with Regulation (EC) No 1272/2008 For explanation of abbreviations see section 16. 2.2. Label elements Labelling according to regulation (EC) No 1272/2008 Hazard pictograms Signal word Warning **Hazard statements** H315 Causes skin irritation. H319 Causes serious eye irritation.



eodisher	Dekonta Med			
ersion: 3/GB	Replaces Version: 2 / GB	Date revised	: 11.09.2023	Print date: 11.09.2
H410	Very toxic to aquatic life	e with long lasting	g effects.	
Precautionary	statements			
P273 P280 P302+P352 P305+P351+ P337+P313	Avoid release to the en Wear protective gloves IF ON SKIN: Wash with P338 IF IN EYES: Rinse cau lenses, if present and e If eye irritation persists: Dispose only when con residues, refer to safety	/protective clothin plenty of soap a tiously with water asy to do. Contin Get medical adv tainer is empty a	nd water. for several minu nue rinsing. vice/attention.	tes. Remove contact
2.3. Other hazard	s			
The product on not contain a	izards have to be mentioned. contains no PBT substances. The substance that has endocrine dis tain a substance that has endocri	rupting propertie	s with respect to	human. The product
ECTION 3: Comp	oosition/information on ing	gredients		
8.2. Mixtures				
Hazardous ing	j redients			
N,N-didecyl-N- CAS No. EINECS no. Registration r	methyl-poly(oxyethyl)ammoniu 94667-33-1 619-057-3 no. 01-2119950327-36	ım propionate		
Concentration	1	< 1	%	
Classification	(Regulation (EC) No. 1272/2008 Acute Tox. 4 Skin Corr. 1B Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1) H302 H314 H318 H400 H410		
Concentration	n limits (Regulation (EC) No. 1272 Aquatic Acute 1 Aquatic Chronic 1	2/2008) M = 10 M = 1		
alkyl (C12-16)	dimethylbenzyl ammonium chl			
CAS No. EINECS no. Registration r Concentratior		< 3	%	
	(Regulation (EC) No. 1272/2008 Acute Tox. 4 Skin Corr. 1B Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1		Route of ex	posure: oral
Concentration	n limits (Regulation (EC) No. 1272 Aquatic Acute 1	2/2008) M = 10		
2-(2-butoxyeth	•			
CAS No.	112-34-5			



ersion: 3 / GB	Replaces Version: 2 / GB	Date	revised:	11.09.2023	Print date: 11.09.23
Concentration	>= 25 ulation (EC) No. 1272/2008)	<	50	%	
Classification (rice)	Eye Irrit. 2	H319			
citric acid CAS No.	77-92-9				
EINECS no.	201-069-1				
Registration no.	01-2119457026-42		10	0/	
Concentration Classification (Reg	>= 1 ulation (EC) No. 1272/2008)	<	10	%	
	Eye Irrit. 2 STOT SE 3	H319 H335			
N-(2-ethylhexyl)isor					
CAS No. EINECS no.	93820-33-8 298-613-3				
Registration no.	01-2119984313-35				
Concentration Classification (Reg	>= 1 ulation (EC) No. 1272/2008)	<	10	%	
Classification (reg	Aquatic Acute 1	H400			
	Aquatic Chronic 2	H411			
ECTION 4: First aid n	neasures				
1.1. Description of fire					
General informatio	n ated, soaked clothing immedia	atelv an	d disnos	e of safely	
After inhalation	ated, soaked clothing infinedia	atery arr	u uispus	e of safety.	
	esh air. In the event of sympt	oms tak	e medic	al treatment.	
After skin contact					
	skin, wash immediately with p	lenty of	water. C	consult a doctor i	f skin irritation persists.
After eye contact				F	
In case of contact v irritation consult an	with the eyes, rinse immediate oculist.	ely for a	t least 1	5 minutes with p	lenty of water. In case of
After ingestion					
Rinse mouth thorou	• •				
•	I protective measures wh ention to self-protection!	ien giv	ing firs	t ald	
I.2. Most important s Until now no sympt	ymptoms and effects, I toms known so far.	both a	cute a	nd delayed	
.3. Indication of any	immediate medical att	ention	and s	pecial treatm	ent needed
Hints for the physic					
In the case of swal chemical pneumon	lowing with subsequent vomitia or asphyxiation.	ting, asp	piration c	of the lungs can o	occur which can lead to

SECTION 5: Firefighting measures



Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 11.09.2023

Print date: 11.09.23

5.1. Extinguishing media

Suitable extinguishing media

Product itself is non-combustible; adapt fire extinguishing measures to surrounding areas.

Non suitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible.

5.3. Advice for firefighters

Special protective equipment for fire-fighting

Do not inhale explosion and/or combustion gases. In case of combustion use a suitable breathing apparatus.

Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains. Fire residues and contaminated fire-fighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing. Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3. Methods and material for containment and cleaning up

Pick up with absorbent material. Dispose of absorbed material in accordance with the regulations.

6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid formation of aerosols. Observe the usual precautions for handling chemicals. Keep container tightly closed.

Advice on protection against fire and explosion

The product is not combustible.

7.2. Conditions for safe storage, including any incompatibilities

Recommended storage temperature

Value > 0 < 30 °C

Requirements for storage rooms and vessels

Keep in original packaging, tightly closed. Storage rooms must be properly ventilated. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Storage classes

Storage class according to 10-13 Other combustible and non-combustible substances TRGS 510

7.3. Specific end use(s)

no data



Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 11.09.2023

Print date: 11.09.23

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limit values

2-(2-butoxyethoxy)ethanol List Type Value Short term exposure limit	EH40 WEL 67.5 101.2	mg/m³ mg/m³	10 15	ppm(V) ppm(V)
2-(2-butoxyethoxy)ethanol List Type Value Short term exposure limit	IOELV IOELV 67,5 101,2	mg/m³ mg/m³	10 15	ppm(V) ppm(V)

Other information

There are not known any further control parameters.

8.2. Exposure controls

General protective and hygiene measures

Hold eye wash fountain available. Do not inhale gases/vapours/aerosols. Avoid contact with skin and eyes. Do not eat, drink or smoke during work time. Wash hands before breaks and after work.

Respiratory protection

Not necessary, but do not inhale vapours. If workplace limits are exceeded, a respiratory protection approved for this particular job must be worn.

Hand protection

Chemical resistant gloves			
Use	Perma	nent hand	contact
Appropriate Material	neopre	ene	
Material thickness	>=	0,65	mm
Breakthrough time	>	480	min
Appropriate Material	nitrile		
Material thickness	>=	0,4	mm
Breakthrough time	>	480	min
Appropriate Material	butyl		
Material thickness	>=	0,7	mm
Breakthrough time	>	480	min
Use	Short-t	erm hand o	contact
Appropriate Material	nitrile		
Material thickness	>=	0,11	mm
Hand protection must compl	y with E	N ISO 374.	

Eye protection

Safety glasses with side protection shield; Eye protection must comply with EN 166.

Body protection

Clothing as usual in the chemical industry.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical	state
Colour	
Odour	

liquid light yellow, clear characteristic



Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 11.09.2023

Print date: 11.09.23

	Melting point Remarks	not de	termined		
	Freezing point				
	Remarks	not de	termined		
	Boiling point or initial boiling			a range	
	Remarks	-	termined	grange	
	Flammability				
	evaluation	Not an	oplicable		
	Upper and lower explosive lin	-			
	Remarks		oplicable		
	Flash point	•	•		
	Remarks	Not ap	oplicable		
	Ignition temperature				
	Remarks	Not ap	oplicable		
	Decomposition temperature				
	Remarks				
	Remarks	not de	termined		
	pH value				
	Value		3,9	.	
	Temperature		20	°C	
	Viscosity				
	dynamic		40		
	Value Temperature	<	10 20	°C	mPa.s
	Solubility(ies)		20	U	
	Remarks	not de	termined		
	Partition coefficient n-octanol			e)	
	Remarks		termined	•,	
	Vapour pressure				
	Remarks	not de	termined		
	Density and/or relative densit	v			
	Value	,	1,02		g/cm³
	Temperature		20	°C	-
	Relative vapour density				
	Remarks	not de	termined		
9.2	Other information				
-	Odour threshold				
	Remarks	not de	termined		
	Evaporation rate (ether = 1) :				
	Remarks	not de	termined		
	Solubility in water				
	Remarks	miscib	ole in all pro	portions	
	Explosive properties		•	-	
	evaluation	no			
	Oxidising properties				



neodisher [Dekonta Med			
Version: 3 / GB	Replaces Version: 2 /	GB Date revised:	11.09.2023	Print date: 11.09.23
evaluation	None kr	own		
Other informati	on			
None known				
SECTION 10: Stabi	lity and reactivity			
10.1. Reactivity No hazardous	reactions when stored and	handled according to	prescribed instructi	ons.
10.2. Chemical sta No hazardous	ability reactions known.			
	f hazardous reaction reactions known.	S		
10.4. Conditions to No hazardous	o avoid reactions known.			
10.5. Incompatible None known	e materials			
	ecomposition produ decomposition products kr			
SECTION 11: Toxic	ological information			
11.1 Information of	on hazard classes as	defined in Regula	tion (EC) No 12	272/2008
Acute oral toxic		· ·	ζ, γ	
Species	rat		"	
ATE Method	> 200 calculated y	/alue (Regulation (EC)	mg/kg No. 1272/2008)	
Remarks		vailable data, the class		e not met.
Acute oral toxic	city (Components)			
alkyl (C12-16) d Species	imethylbenzyl ammoniur rat	n chloride		
LD50	appr. 344	Ļ	mg/kg	
N,N-didecyl-N-r	nethyl-poly(oxyethyl)amr	nonium propionate		
Species LD50	rat 115	7	mg/kg	
Method	OECD 401		ilig/kg	
citric acid				
Species LD50	rat 117	200	malka	
citric acid	117	00	mg/kg	
Species	mouse			
LD50	504	0	mg/kg	
Acute dermal to	-			
Remarks		vailable data, the class	ification criteria are	e not met.
	oxicity (Components)			
alkyl (C12-16) d Species	imethylbenzyl ammoniur rabbit	n chloride		
LD50	appr. 334	0	mg/kg	
Acute inhalatio	nal toxicity			
Remarks	Based on a	vailable data, the class	ification criteria are	e not met.



Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 11.09.2023

Skin corrosion/irritation	
evaluation	irritant
Remarks	The classification criteria are met.
Serious eye damage/irrita	
evaluation Remarks	irritant The classification criteria are met.
Sensitization	
Remarks	Based on available data, the classification criteria are not met.
Subacute, subchronic, ch	ironic toxicity
Remarks	Based on available data, the classification criteria are not met.
Mutagenicity	
Remarks	Based on available data, the classification criteria are not met.
Reproductive toxicity	
Remarks	Based on available data, the classification criteria are not met.
Carcinogenicity	
Remarks	Based on available data, the classification criteria are not met.
Specific Target Organ To	xicity (STOT)
Single exposure Remarks	Based on available data, the classification criteria are not met.
Repeated exposure Remarks	Based on available data, the classification criteria are not met.
Aspiration hazard	
Based on available data, th	ne classification criteria are not met.
11.2 Information on other h	azards
Endocrine disrupting pro	perties with respect to humans
The product does not conta humans.	ain a substance that has endocrine disrupting properties with respect to
Experience in practice	
	ation of the respiratory tract.
Other information	
	on the product apart from the information given in this subsection.
SECTION 12: Ecological info	
12.1. Toxicity	
General information	
not determined	
Fish toxicity (Component	e)
alkyl (C12-16) dimethylben Species LC50	Fathead minnow (Pimephales promelas) 0,28 mg/l
Duration of exposure	96 h
alkyl (C12-16) dimethylben	zyl ammonium chloride
Species	Fathead minnow (Pimephales promelas)
NOEC	0,032 mg/l
Duration of exposure	34 d
N,N-AIACCYI-N-methyl-poly	(oxyethyl)ammonium propionate



ion: 3/GB	Replaces	Version:	2 / GB	Dat	e revised:	11.09.2023	Print date: 11.09.23
Species		zebra f	ish (Brac	hydanio	rerio)		
LC50			0,78			mg/l	
Duration of expos	sure		96	h			
Method		OECD	203				
N-(2-ethylhexyl)is	ononan-1-						
Species		zebra f	ish (Brac	hydanio	rerio)		
LC50		>	1000			mg/l	
Duration of expos	sure		96	h			
Method		OECD	203				
citric acid							
Species		golden	orfe (Leu	iciscus i	,		
LC50			440	to	706	mg/l	
Duration of expos	sure		96	h			
Daphnia toxicity	(Compone	ents)					
N,N-didecyl-N-me	· thvl_nolv(o	vvothvl)	ammoni	um pror	vionato		
Species			a magna		Jonale		
EC50		Dupini	0,07			mg/l	
Duration of expos	sure		48	h			
Method		OECD					
N-(2-ethylhexyl)is	ononan_1_						
Species	ononan-1-		a magna				
EC50		Dapini	0,475			mg/l	
Duration of expos	sure		48	h		mg/i	
Method	Sure	OECD					
citric acid		0202	_0_				
Species		Danhni	a magna				
EC50		Dapini	120			mg/l	
Duration of expos	sure		72	h		ing/i	
Algae toxicity (Co		c)					
• • •	-	•	_				
N,N-didecyl-N-me	thyl-poly(o						
Species		Sceneo	lesmus s	ubspicat	us	"	
EbC50			0,15			mg/l	
Duration of expos	sure	0500	72	h			
Method		OECD	∠U1				
N-(2-ethylhexyl)is	ononan-1-						
Species		Sceneo	desmus s	ubspicat	US		
EC50			0,962	I		mg/l	
Duration of exposed	sure		72	h			
Method		OECD	∠U I				
Bacteria toxicity	(Compone	ents)					
alkyl (C12-16) dim	ethylbenzy	yl ammo	nium ch	loride			
Species			ed sludge				
EC50			7,75 [°]			mg/l	
Duration of expos	sure		3	h			
N,N-didecyl-N-me	thyl-poly(o	xyethyl)	ammoni	um prop	oionate		
Species			ed sludge				
EC50			16,8 ^Ŭ			mg/l	
	sure		3	h		-	
Duration of expos		OECD	209				
Duration of expose Method		OLOD	200				
Method	ononan-1-		200				
	ononan-1-	amide	ed sludge	9			



neodisher Dekonta Med Print date: 11.09.23 Replaces Version: 2 / GB Date revised: 11.09.2023 Version: 3 / GB Duration of exposure 3 h Method **OECD 209** 12.2. Persistence and degradability **General information** not determined Ready degradability (Components) citric acid 12.3. Bioaccumulative potential **General information** not determined Partition coefficient n-octanol/water (log value) not determined Remarks 12.4. Mobility in soil **General information** not determined 12.5. Results of PBT and vPvB assessment Results of PBT and vPvB assessment The product contains no PBT or vPvB substances. 12.6 Endocrine disrupting properties Endocrine disrupting properties with respect to the envrionment The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms. 12.7. Other adverse effects General information not determined General information / ecology The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Do not discharge product unmonitored into the environment. **SECTION 13: Disposal considerations** 13.1. Waste treatment methods Disposal recommendations for the product 18 01 06* EWC waste code chemicals consisting of or containing dangerous substances 20 01 29* detergents containing dangerous substances EWC waste code The listed waste code numbers, according to the European Waste Catalogue (EWC), are to be understood as a recommendation. A final decision must be made in agreement with the regional waste disposal company. **Disposal recommendations for packaging** EWC waste code 15 01 02 plastic packaging Completely emptied packagings can be given for recycling. 15 01 10* EWC waste code packaging containing residues of or contaminated by dangerous substances

Packaging that cannot be cleaned should be disposed of in agreement with the regional waste disposal company.



Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 11.09.2023

Print date: 11.09.23

SECTION 14: Transport information

	Land transport ADR/RID	Marine transport	Air transport ICAO/IATA
Tunnel restriction code	-	IMDG/GGVSee	
IMDG-Code segregation group		0 Not applicable	
14.1. UN number or ID number	3082	3082	3082
14.2. UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (N,N-didecyl-N-methyl-poly(oxyet hyl)ammonium propionate, alkyl (C12-16) dimethylbenzyl ammonium chloride)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (N,N-didecyl-N-methyl-poly(oxyet hyl)ammonium propionate, alkyl (C12-16) dimethylbenzyl ammonium chloride)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (N,N-didecyl-N-methyl-poly(oxy ethyl)ammonium propionate, alkyl (C12-16) dimethylbenzyl ammonium chloride)
14.3. Transport hazard class(es)	9	9	9
Label			
14.4. Packing group		Ш	Ш
Limited Quantity	51	51	
Transport category	3		
14.5. Environmental hazards	ENVIRONMENTALLY HAZARDOUS	Marine Pollutant	ENVIRONMENTALLY HAZARDOUS

Information for all modes of transport

14.6. Special precautions for user

See Sections 6 to 8

Other information

14.7 Maritime transport in bulk according to IMO instruments Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Major-accident categories acc. 2012/18/EU



sion: 3/GB	Replace	es Version: 2 / GB	Date rev	vised: 11.09.	2023	Print dat	te: 11.09.2
Category	E1	Hazardous to the Environment	e Aquatic	100	tonne s	200	tonr s
Ingredients (R	egulation (EC) No 648/2004)					
less than 5 %:							
non-ionic surf	actants						
Further ingred	ients						
disinfectants							
VOC							
VOC (EU)		0	%				
Other informat							
		ain substances of ve	ery high cond	cern (SVHC)			
5.2. Chemical sa For this prepa		ssment mical safety assessn	nent has not	been carried	l out.		
CTION 16: Othe							
					• •		
		dure used to deriv	ve the class	sification f	or mixtures	s accord	ling to
Regulation (EC			N				
Classification		(EC) No. 1272/2008 in Irrit. 2) H315	Ca	Iculation met	hod	
		e Irrit. 2	H319		Iculation met		
			11313	- Ca			
		uatic Acute 1	H400		Iculation met		
	Aq			Ca		thod	
Hazard statem	Aq Aq	uatic Acute 1 uatic Chronic 2	H400	Ca	Iculation met	thod	
Hazard statem H302	Aq Aq	uatic Acute 1 uatic Chronic 2	H400 H411	Ca	Iculation met	thod	
	Aq Aq	uatic Acute 1 uatic Chronic 2 in Chapter 2/3 Harmful if swallor Causes severe s	H400 H411 wed. kin burns an	Ca Ca	Iculation met Iculation met	thod	
H302 H314 H315	Aq Aq	uatic Acute 1 uatic Chronic 2 in Chapter 2/3 Harmful if swallor Causes severe s Causes skin irrita	H400 H411 wed. kin burns an ation.	Ca Ca d eye dama	Iculation met Iculation met	thod	
H302 H314 H315 H318	Aq Aq	uatic Acute 1 uatic Chronic 2 in Chapter 2/3 Harmful if swallor Causes severe s Causes skin irrita Causes serious e	H400 H411 wed. kin burns an ation. eye damage.	Ca Ca Id eye damaç	Iculation met Iculation met	thod	
H302 H314 H315 H318 H319	Aq Aq	uatic Acute 1 uatic Chronic 2 in Chapter 2/3 Harmful if swallor Causes severe s Causes skin irrita Causes serious e Causes serious e	H400 H411 wed. kin burns an ation. eye damage. eye irritation.	Ca Ca Id eye damaq	Iculation met Iculation met	thod	
H302 H314 H315 H318 H319 H335	Aq Aq	uatic Acute 1 uatic Chronic 2 in Chapter 2/3 Harmful if swallor Causes severe s Causes skin irrita Causes serious e Causes serious e May cause respin	H400 H411 wed. kin burns an ation. eye damage. eye irritation. ratory irritatio	Ca Ca Id eye damaq	Iculation met Iculation met	thod	
H302 H314 H315 H318 H319 H335 H400	Aq Aq	uatic Acute 1 uatic Chronic 2 in Chapter 2/3 Harmful if swallor Causes severe s Causes skin irrita Causes serious e Causes serious e May cause respin Very toxic to aqu	H400 H411 wed. kin burns an ation. eye damage. eye irritation. ratory irritatio atic life.	Ca Ca od eye damag on.	Iculation met Iculation met ge.	thod	
H302 H314 H315 H318 H319 H335	Aq Aq	uatic Acute 1 uatic Chronic 2 in Chapter 2/3 Harmful if swallor Causes severe s Causes skin irrita Causes serious e Causes serious e May cause respin Very toxic to aqu Very toxic to aqu	H400 H411 wed. kin burns an ation. eye damage. eye irritation. atory irritatio atic life. atic life with	Ca d eye damag on. long lasting	lculation met lculation met ge. effects.	thod	
H302 H314 H315 H318 H319 H335 H400 H410	Aq Aq ents listed	uatic Acute 1 uatic Chronic 2 in Chapter 2/3 Harmful if swallor Causes severe s Causes skin irrita Causes serious e Causes serious e May cause respin Very toxic to aqu Very toxic to aqu Toxic to aquatic l	H400 H411 wed. kin burns an ation. eye damage. eye irritation. atory irritatio atic life. atic life with	Ca d eye damag on. long lasting	lculation met lculation met ge. effects.	thod	
H302 H314 H315 H318 H319 H335 H400 H410 H411	Aq Aq ents listed	uatic Acute 1 uatic Chronic 2 in Chapter 2/3 Harmful if swallor Causes severe s Causes skin irrita Causes serious e Causes serious e May cause respin Very toxic to aqu Very toxic to aqu Toxic to aquatic l	H400 H411 wed. kin burns an ation. eye damage. eye irritation. ratory irritatio atic life. atic life with ife with long	Ca d eye damag on. long lasting	lculation met lculation met ge. effects.	thod	
H302 H314 H315 H318 H319 H335 H400 H410 H411 CLP categorie	Aq Aq ents listed	uatic Acute 1 uatic Chronic 2 in Chapter 2/3 Harmful if swallor Causes severe s Causes skin irrita Causes serious e Causes serious e May cause respin Very toxic to aqu Very toxic to aqu Toxic to aquatic I Chapter 2/3	H400 H411 wed. kin burns an ation. eye damage. eye irritation. ratory irritation atory irritation atic life. atic life with ife with long	Ca d eye damag on. long lasting lasting effec	Iculation met Iculation met ge. effects. ts.	thod	
H302 H314 H315 H318 H319 H335 H400 H410 H411 CLP categories Acute Tox. 4 Aquatic Acute Aquatic Chror	Aq Aq ents listed s listed in (uatic Acute 1 uatic Chronic 2 in Chapter 2/3 Harmful if swallor Causes severe s Causes skin irrita Causes serious e Causes serious e May cause respin Very toxic to aqu Very toxic to aqu Toxic to aquatic I Chapter 2/3 Acute toxicity, Ca Hazardous to the Hazardous to the	H400 H411 wed. kin burns an ation. eye damage. eye irritation. ratory irritation atic life. atic life with ife with long ategory 4 e aquatic enve	Ca d eye damag on. long lasting lasting effect vironment, ac	Iculation met Iculation met ge. effects. ts. cute, Categor pronic, Catego	thod thod ry 1 ory 1	
H302 H314 H315 H318 H319 H335 H400 H410 H411 CLP categories Acute Tox. 4 Aquatic Acute Aquatic Chror Aquatic Chror	Aq Aq ents listed s listed in (uatic Acute 1 uatic Chronic 2 in Chapter 2/3 Harmful if swallor Causes severe s Causes skin irrita Causes serious e Causes serious e May cause respin Very toxic to aqu Very toxic to aqu Toxic to aquatic I Chapter 2/3 Acute toxicity, Ca Hazardous to the Hazardous to the	H400 H411 wed. kin burns an ation. eye damage. eye irritation. ratory irritation atic life. atic life with ife with long ategory 4 e aquatic enve aquatic enve aquatic enve	Ca Ca d eye damag on. long lasting lasting effect vironment, ac vironment, ch	Iculation met Iculation met ge. effects. ts. cute, Categor pronic, Catego	thod thod ry 1 ory 1	
H302 H314 H315 H318 H319 H335 H400 H410 H411 CLP categories Acute Tox. 4 Aquatic Acute Aquatic Chror Aquatic Chror Eye Dam. 1	Aq Aq ents listed s listed in (uatic Acute 1 uatic Chronic 2 in Chapter 2/3 Harmful if swallor Causes severe s Causes skin irrita Causes serious e Causes serious e May cause respin Very toxic to aqu Very toxic to aqu Very toxic to aqu Toxic to aquatic I Chapter 2/3 Acute toxicity, Ca Hazardous to the Hazardous to the Serious eye dam	H400 H411 wed. kin burns an ation. eye damage. eye irritation. ratory irritation atic life. atic life with ife with long ategory 4 e aquatic enve aquatic enve aquatic enve age, Catego	Ca Ca d eye damag on. long lasting lasting effect vironment, ac vironment, ch	Iculation met Iculation met ge. effects. ts. cute, Categor pronic, Catego	thod thod ry 1 ory 1	
H302 H314 H315 H318 H319 H335 H400 H410 H411 CLP categories Acute Tox. 4 Aquatic Acute Aquatic Chror Aquatic Chror Eye Dam. 1 Eye Irrit. 2	Aq Aq ents listed s listed in (1 hic 1 hic 2	uatic Acute 1 uatic Chronic 2 in Chapter 2/3 Harmful if swallor Causes severe s Causes skin irrita Causes serious e Causes serious e May cause respin Very toxic to aqu Very toxic to aqu Very toxic to aqu Toxic to aquatic I Chapter 2/3 Acute toxicity, Ca Hazardous to the Hazardous to the Serious eye dam Eye irritation, Ca	H400 H411 wed. kin burns an ation. eye damage. eye irritation. ratory irritatio atic life. atic life with ife with long ategory 4 e aquatic enve aquatic enve aquatic enve aquatic enve aquatic enve age, Category 2	Ca Ca d eye damag on. long lasting lasting effect vironment, ac vironment, ch	Iculation met Iculation met ge. effects. ts. cute, Categor pronic, Catego	thod thod ry 1 ory 1	
H302 H314 H315 H318 H319 H335 H400 H410 H411 CLP categories Acute Tox. 4 Aquatic Acute Aquatic Chror Aquatic Chror Eye Dam. 1 Eye Irrit. 2 Skin Corr. 1B	Aq Aq ents listed s listed in (1 hic 1 hic 2	uatic Acute 1 uatic Chronic 2 in Chapter 2/3 Harmful if swallor Causes severe s Causes skin irrita Causes serious e Causes serious e May cause respin Very toxic to aqu Very toxic to aqu Very toxic to aqu Very toxic to aqu Toxic to aquatic I Chapter 2/3 Acute toxicity, Ca Hazardous to the Hazardous to the Serious eye dam Eye irritation, Ca Skin corrosion, C	H400 H411 wed. kin burns an ation. eye damage. eye irritation. ratory irritatio atic life. atic life with ife with long ategory 4 e aquatic enve aquatic enve aquatic enve aquatic enve aquatic enve age, Category 1B	Ca Ca d eye damag on. long lasting lasting effect vironment, ac vironment, ch	Iculation met Iculation met ge. effects. ts. cute, Categor pronic, Catego	thod thod ry 1 ory 1	
H302 H314 H315 H318 H319 H335 H400 H410 H411 CLP categories Acute Tox. 4 Aquatic Acute Aquatic Chror Aquatic Chror Eye Dam. 1 Eye Irrit. 2 Skin Corr. 1B Skin Irrit. 2	Aq Aq ents listed s listed in (1 hic 1 hic 2	uatic Acute 1 uatic Chronic 2 in Chapter 2/3 Harmful if swallor Causes severe s Causes skin irrita Causes serious e Causes serious e May cause respin Very toxic to aqu Very toxic to aqu Very toxic to aqu Toxic to aquatic I Chapter 2/3 Acute toxicity, Ca Hazardous to the Hazardous to the Serious eye dam Eye irritation, Ca Skin corrosion, C	H400 H411 wed. kin burns an ation. eye damage. eye irritation. ratory irritation atic life. atic life with ife with long ategory 4 e aquatic enve aquatic enve aq	Ca od eye damag on. long lasting lasting effect vironment, ac vironment, ch vironment, ch	lculation met lculation met ge. effects. ts. cute, Categor ironic, Categ ironic, Categ	thod thod ry 1 ory 1 ory 2	
H302 H314 H315 H318 H319 H335 H400 H410 H411 CLP categories Acute Tox. 4 Aquatic Acute Aquatic Chror Aquatic Chror Eye Dam. 1 Eye Irrit. 2 Skin Corr. 1B Skin Irrit. 2 STOT SE 3	Aq ents listed s listed in (1 hic 1 hic 2	uatic Acute 1 uatic Chronic 2 in Chapter 2/3 Harmful if swallor Causes severe s Causes skin irrita Causes serious e Causes serious e May cause respin Very toxic to aqu Very toxic to aqu Very toxic to aqu Very toxic to aqu Toxic to aquatic I Chapter 2/3 Acute toxicity, Ca Hazardous to the Hazardous to the Serious eye dam Eye irritation, Ca Skin corrosion, C	H400 H411 wed. kin burns an ation. eye damage. eye irritation. ratory irritation atic life. atic life with ife with long ategory 4 e aquatic enve aquatic enve aq	Ca od eye damag on. long lasting lasting effect vironment, ac vironment, ch vironment, ch	lculation met lculation met ge. effects. ts. cute, Categor ironic, Categ ironic, Categ	thod thod ry 1 ory 1 ory 2	
H302 H314 H315 H318 H319 H335 H400 H410 H411 CLP categories Acute Tox. 4 Aquatic Acute Aquatic Chror Eye Dam. 1 Eye Irrit. 2 Skin Corr. 1B Skin Irrit. 2 STOT SE 3 Abbreviations	Aq ents listed s listed in (1 nic 1 nic 2	uatic Acute 1 uatic Chronic 2 in Chapter 2/3 Harmful if swallor Causes severe s Causes skin irrita Causes serious e Causes serious e May cause respin Very toxic to aqu Very toxic to aqu Very toxic to aqu Very toxic to aquatic I Chapter 2/3 Acute toxicity, Ca Hazardous to the Hazardous to the Serious eye dam Eye irritation, Ca Skin corrosion, C Skin irritation, Ca	H400 H411 wed. kin burns an ation. eye damage. eye irritation. ratory irritation atic life. atic life with ife with long ategory 4 e aquatic enve aquatic enve aquatic enve aquatic enve aquatic enve aquatic enve aquatic enve aquatic enve aquatic enve age, Category 2 category 2 category 2 category 2 category 2 category 2 category 2	Ca od eye damag on. long lasting lasting effect vironment, ac vironment, ch vironment, ch vory 1	lculation met lculation met ge. effects. ts. cute, Categor pronic, Categor pronic, Categor pronic, Categor	ry 1 ory 1 ory 2 ory 3	Route
H302 H314 H315 H318 H319 H335 H400 H410 H411 CLP categories Acute Tox. 4 Aquatic Acute Aquatic Chror Aquatic Chror Eye Dam. 1 Eye Irrit. 2 Skin Corr. 1B Skin Irrit. 2 STOT SE 3 Abbreviations ADR: Accord	Aq ents listed s listed in (1 hic 1 hic 2	uatic Acute 1 uatic Chronic 2 in Chapter 2/3 Harmful if swallor Causes severe s Causes skin irrita Causes serious e Causes serious e May cause respin Very toxic to aqu Very toxic to aqu Very toxic to aqu Toxic to aquatic I Chapter 2/3 Acute toxicity, Ca Hazardous to the Hazardous to the Serious eye dam Eye irritation, Ca Skin corrosion, C Skin irritation, Ca	H400 H411 wed. kin burns an ation. eye damage. eye irritation. ratory irritation atic life. atic life with ife with long ategory 4 e aquatic enve aquatic enve ategory 2 category 3 category 4 category 4 catego	Ca od eye damag on. long lasting lasting effect vironment, ch vironment, ch vironment, ch vironment, ch single exposes s marchandis	Iculation met Iculation met ge. effects. ts. cute, Categor pronic, Categor pronic, Categor pronic, Categor ses Dangeren	thod thod ory 1 ory 2 ory 3 uses par	
H302 H314 H315 H318 H319 H335 H400 H410 H411 CLP categories Acute Tox. 4 Aquatic Acute Aquatic Chror Aquatic Chror Eye Dam. 1 Eye Irrit. 2 Skin Corr. 1B Skin Irrit. 2 STOT SE 3 Abbreviations ADR: Accord RID: Règleme	Aq ents listed s listed in (1 hic 1 hic 2 européen rel ent concerna	uatic Acute 1 uatic Chronic 2 in Chapter 2/3 Harmful if swallor Causes severe s Causes skin irrita Causes serious e Causes serious e May cause respin Very toxic to aqu Very toxic to aqu Very toxic to aqu Toxic to aquatic I Chapter 2/3 Acute toxicity, Ca Hazardous to the Hazardous to the Serious eye dam Eye irritation, Ca Skin corrosion, C Skin irritation, Ca Specific target or	H400 H411 wed. kin burns an ation. eye damage. eye irritation. ratory irritation atic life. atic life with ife with long ategory 4 e aquatic enve aquatic enve ategory 2 category 3 category 4 category 4 category 4 category 4 category 4 category 5 category 6 category 7 category 7 catego	Ca od eye damag on. long lasting lasting effect vironment, ch vironment, ch vironment, ch vironment, ch single exposes s marchandis	Iculation met Iculation met ge. effects. ts. cute, Categor pronic, Categor pronic, Categor pronic, Categor ses Dangeren	thod thod ory 1 ory 2 ory 3 uses par	
H302 H314 H315 H318 H319 H335 H400 H410 H411 CLP categories Acute Tox. 4 Aquatic Acute Aquatic Chror Aquatic Chror Eye Dam. 1 Eye Irrit. 2 Skin Corr. 1B Skin Irrit. 2 STOT SE 3 Abbreviations ADR: Accord RID: Règleme IMDG: Interna	Aq ents listed s listed in (1 hic 1 hic 2 européen rel ent concerna ational Maritin	uatic Acute 1 uatic Chronic 2 in Chapter 2/3 Harmful if swallor Causes severe s Causes skin irrita Causes serious e Causes serious e May cause respin Very toxic to aqu Very toxic to aqu Very toxic to aqu Toxic to aquatic I Chapter 2/3 Acute toxicity, Ca Hazardous to the Hazardous to the Serious eye dam Eye irritation, Ca Skin corrosion, C Skin irritation, Ca	H400 H411 wed. kin burns an ation. eye damage. eye irritation. ratory irritation atic life. atic life with ife with long ategory 4 e aquatic enve aquatic enve ategory 2 category 3 category 4 category 4 category 4 category 4 category 4 category 5 category 6 category 7 category 7 catego	Ca od eye damag on. long lasting lasting effect vironment, ch vironment, ch vironment, ch vironment, ch single exposes s marchandis	Iculation met Iculation met ge. effects. ts. cute, Categor pronic, Categor pronic, Categor pronic, Categor ses Dangeren	thod thod ory 1 ory 2 ory 3 uses par	
H302 H314 H315 H318 H319 H335 H400 H410 H411 CLP categories Acute Tox. 4 Aquatic Acute Aquatic Chror Eye Dam. 1 Eye Irrit. 2 Skin Corr. 1B Skin Irrit. 2 STOT SE 3 Abbreviations ADR: Accord RID: Règleme IMDG: Interna ICAO: Interna IATA: Internat	Aq Aq ents listed s listed in (a 1 hic 1 hic 2 européen rel ent concerna ational Maritin tional Civil A cional Air Tra	uatic Acute 1 uatic Chronic 2 in Chapter 2/3 Harmful if swallor Causes severe s Causes serious e Causes serious e Causes serious e Causes serious e May cause respin Very toxic to aqu Very toxic to aqu Very toxic to aqu Toxic to aquatic I Chapter 2/3 Acute toxicity, Ca Hazardous to the Hazardous to the Hazardous to the Serious eye dam Eye irritation, Ca Skin corrosion, C Skin irritation, Ca Specific target or latif au transport inten the transport interna- me Code for Dangen viation Organization	H400 H411 wed. kin burns an ation. eye damage. eye irritation. ratory irritation atic life. atic life with ife with long ategory 4 e aquatic enve aquatic enve ategory 2 category 3 category 4 category 4 category 4 category 4 category 4 category 5 category 6 category 7 category 7 catego	Ca od eye damag on. long lasting lasting effect vironment, ch vironment, ch vironment, ch vironment, ch single exposes s marchandis	Iculation met Iculation met ge. effects. ts. cute, Categor pronic, Categor pronic, Categor pronic, Categor ses Dangeren	thod thod ory 1 ory 2 ory 3 uses par	
H302 H314 H315 H318 H319 H335 H400 H410 H411 CLP categories Acute Tox. 4 Aquatic Acute Aquatic Chror Aquatic Chror Eye Dam. 1 Eye Irrit. 2 Skin Corr. 1B Skin Irrit. 2 STOT SE 3 Abbreviations ADR: Accord RID: Règleme IMDG: Interna ICAO: Interna	Aq Aq ents listed s listed in (a 1 hic 1 hic 2 européen rel ent concerna ational Maritin tional Civil A cional Air Tra liate Bulk Co	uatic Acute 1 uatic Chronic 2 in Chapter 2/3 Harmful if swallor Causes severe s Causes serious e Causes serious e Causes serious e May cause respin Very toxic to aqu Very toxic to aqu Very toxic to aqu Toxic to aquatic I Chapter 2/3 Acute toxicity, Ca Hazardous to the Hazardous to the Hazardous to the Serious eye dam Eye irritation, Ca Skin corrosion, C Skin irritation, Ca Specific target or latif au transport interna me Code for Dangen viation Organization nsport Association ntainer	H400 H411 wed. kin burns an ation. eye damage. eye irritation. ratory irritation atic life. atic life with ife with long ategory 4 e aquatic enve aquatic enve ategory 2 category 3 category 4 category 4 category 4 category 5 category 4 category 4 category 4 category 5 category 6 category 7 category	Ca od eye damag on. long lasting lasting effect vironment, ch vironment, ch vironment, ch vironment, ch single exposes s marchandis	Iculation met Iculation met ge. effects. ts. cute, Categor pronic, Categor pronic, Categor pronic, Categor ses Dangeren	thod thod ory 1 ory 2 ory 3 uses par	



Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 11.09.2023

Print date: 11.09.23

VOC: Volatile Organic Compound LD: Lethal dose LC: Lethal concentration PBT: Persistent, Bioaccumulative and Toxic vPvB: Very persistent and very bioaccumulative SVHC: Substances of very high concern MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978 (MARPOL: Marine Pollution) ISO: International Organization for Standardization OECD: Organisation for Economic Co-operation and Development IMO: International Maritime Organization UN: United Nations EU: European Union

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: *** This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.