

neodisher Protech 16

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 14.03.2023

Print date: 12.07.23

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

neodisher Protech 16

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified Uses

PC35 Washing and cleaning products (including solvent based products)

1.3. Details of the supplier of the safety data sheet

Address:

Chemische Fabrik Dr. Weigert GmbH & Co. KG
Mühlenhagen 85
D-20539 Hamburg
Telephone no. +49 40 789 60 0
Fax no. +49 40 789 60 120
www.drweigert.com

E-mail address of person responsible for this SDS:

sida@drweigert.de

1.4. Emergency telephone number

Emergency telephone number: 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (Regulation (EC) No. 1272/2008)

Classification (Regulation (EC) No. 1272/2008)

Acute Tox. 4	H302
Acute Tox. 4	H312
Acute Tox. 4	H332
Skin Corr. 1B	H314
Eye Dam. 1	H318
STOT SE 3	H335
Aquatic Chronic 3	H412

The product is classified and labelled in accordance with Regulation (EC) No 1272/2008
For explanation of abbreviations see section 16.

2.2. Label elements

Labelling according to regulation (EC) No 1272/2008

Hazard pictograms



Signal word

Danger

Hazard statements

neodisher Protech 16

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 14.03.2023

Print date: 12.07.23

H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled.
H314 Causes severe skin burns and eye damage.
H335 May cause respiratory irritation.
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P273 Avoid release to the environment.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER or doctor.
Dispose only when container is empty and closed. For disposal of product residues, refer to safety data sheet.

Hazardous component(s) to be indicated on label (Regulation (EC) No. 1272/2008)

contains 2-aminoethanol

2.3. Other hazards

No special hazards have to be mentioned.

The product contains no PBT substances. The product contains no vPvB substances. This product does not contain a substance that has endocrine disrupting properties with respect to human. The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients

2-aminoethanol

CAS No.	141-43-5		
EINECS no.	205-483-3		
Registration no.	01-2119486455-28		
Concentration	>= 50		%
Classification (Regulation (EC) No. 1272/2008)			
Acute Tox. 4	H302		Route of exposure: oral
Acute Tox. 4	H312		Route of exposure: dermal
Acute Tox. 4	H332		Route of exposure: inhalative
Skin Corr. 1B	H314		
Eye Dam. 1	H318		
STOT SE 3	H335		Route of exposure: inhalative
Aquatic Chronic 3	H412		

Concentration limits (Regulation (EC) No. 1272/2008)
STOT SE 3 H335 >= 5 %

Other information

Complete text of hazard statements in chapter 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated, soaked clothing immediately and dispose of safely. Adhere to personal protective

neodisher Protech 16

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 14.03.2023

Print date: 12.07.23

measures when giving first aid. Clean body thoroughly (bath, shower). In any case show the physician the Safety Data Sheet.

After inhalation

Ensure supply of fresh air. Remove affected person from danger area. Seek medical advice immediately.

After skin contact

Wash off immediately with soap and water. Seek medical advice immediately.

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). Take medical treatment.

After ingestion

Call in a physician immediately and show him the Safety Data Sheet. Rinse mouth thoroughly with water. Let plenty of water be drunk in small gulps. Do not induce vomiting.

Adhere to personal protective measures when giving first aid

First aider: Pay attention to self-protection!

4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

4.3. Indication of any immediate medical attention and special treatment needed

Hints for the physician / hazards

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Dry powder, Foam, Water spray jet

Non suitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible.

5.3. Advice for firefighters

Special protective equipment for fire-fighting

Do not inhale explosion and/or combustion gases. In case of combustion use a suitable breathing apparatus. Wear full protective suit.

Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains. Fire residues and contaminated fire-fighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use breathing apparatus if exposed to vapours/dust/aerosol. Avoid contact with skin, eyes and clothing. Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil. Retain and dispose of contaminated wash water. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

neodisher Protech 16

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 14.03.2023

Print date: 12.07.23

6.3. Methods and material for containment and cleaning up

Pick up with absorbent material. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Containers in which spilled substance has been collected must be adequately labelled. Dispose of absorbed material in accordance with the regulations.

6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid formation of aerosols. Perform filling operations only at stations with exhaust ventilation facilities. Provide suitable exhaust ventilation at the processing machines. If workplace limits are exceeded, a respiratory protection approved for this particular job must be worn. Keep container tightly closed.

7.2. Conditions for safe storage, including any incompatibilities

Recommended storage temperature

Value > -15 < 30 °C

Requirements for storage rooms and vessels

Keep in original packaging, tightly closed. Storage rooms must be properly ventilated. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Provide solvent-resistant and impermeable floor.

Hints on storage assembly

Do not store together with foodstuffs.

Storage classes

Storage class according to TRGS 510 8A Combustible corrosive hazardous substances

Further information on storage conditions

Keep under lock and key or accessible only to specialists or people who are authorized.

7.3. Specific end use(s)

no data

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limit values

2-aminoethanol

List	EH40			
Type	WEL			
Value	2.5	mg/m ³	1	ppm(V)
Short term exposure limit	7.6	mg/m ³	3	ppm(V)
Skin resorption / sensibilisation: Sk; Remarks: Sk				

2-aminoethanol

List	IOELV			
Type	IOELV			
Value	2,5	mg/m ³	1	ppm(V)
Short term exposure limit	7,6	mg/m ³	3	ppm(V)
Skin resorption / sensibilisation: Sk; Remarks: Skin				

Other information

There are not known any further control parameters.

neodisher Protech 16

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 14.03.2023

Print date: 12.07.23

8.2. Exposure controls

General protective and hygiene measures

Hold emergency shower available. Hold eye wash fountain available. Do not inhale gases/vapours/aerosols. Avoid contact with skin and eyes. Do not eat, drink or smoke during work time. Storage of foodstuffs in work rooms is forbidden. Wash hands before breaks and after work. Clean skin thoroughly after work; apply skin cream.

Respiratory protection

If workplace limits are exceeded, a respiratory protection approved for this particular job must be worn.

Hand protection

Chemical resistant gloves

Use	Permanent hand contact
Appropriate Material	neoprene
Material thickness	\geq 0,65 mm
Breakthrough time	$>$ 480
Appropriate Material	nitrile
Material thickness	\geq 0,4 mm
Breakthrough time	$>$ 480 min
Appropriate Material	butyl
Material thickness	\geq 0,7 mm
Breakthrough time	$>$ 480 min
Use	Short-term hand contact
Appropriate Material	nitrile
Material thickness	\geq 0,11 mm

Hand protection must comply with EN ISO 374.

Eye protection

Safety glasses with side protection shield; Eye protection must comply with EN 166.

Body protection

Clothing as usual in the chemical industry. Protective shoes

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	colourless
Odour	characteristic
Melting point	
Remarks	not determined
Freezing point	
Remarks	not determined
Boiling point or initial boiling point and boiling range	
Remarks	not determined
Flammability	
evaluation	Not applicable
Upper and lower explosive limits	
Remarks	not determined
Flash point	
Value	$>$ 90 °C
Ignition temperature	
Remarks	not determined

neodisher Protech 16

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 14.03.2023

Print date: 12.07.23

Decomposition temperature

Remarks
Remarks not determined

pH value

Value	9,9	
Concentration/H ₂ O	0,01	%
Temperature	20	°C
Value	10,8	
Concentration/H ₂ O	0,03	%
Temperature	20	°C

Viscosity

dynamic

Value	< 50		mPa.s
Temperature	20	°C	

Solubility(ies)

Remarks not determined

Partition coefficient n-octanol/water (log value)

Remarks not determined

Vapour pressure

Remarks not determined

Density and/or relative density

Value	1,03		g/cm ³
Temperature	20	°C	

Relative vapour density

Remarks not determined

9.2. Other information

Odour threshold

Remarks not determined

Evaporation rate (ether = 1) :

Remarks not determined

Solubility in water

Remarks miscible in all proportions

Explosive properties

evaluation no

Oxidising properties

evaluation None known

Other information

None known

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reactions when stored and handled according to prescribed instructions.

10.2. Chemical stability

No hazardous reactions known.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

neodisher Protech 16

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 14.03.2023

Print date: 12.07.23

10.4. Conditions to avoid

No hazardous reactions known.

10.5. Incompatible materials

Strong exothermic reaction with acids.

10.6. Hazardous decomposition products

Toxic gases/vapours, Irritant gases/vapours

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

ATE	300	to	2000	mg/kg
Method	calculated value (Regulation (EC) No. 1272/2008)			
Remarks	The classification criteria are met.			

Acute oral toxicity (Components)

2-aminoethanol

Species	rat			
LD50	1089			mg/kg
Method	OECD 401			

Acute dermal toxicity

ATE	1000	to	2000	mg/kg
Method	calculated value (Regulation (EC) No. 1272/2008)			
Remarks	The classification criteria are met.			

Acute inhalational toxicity

ATE	1	to	5	mg/l
Administration/Form	Dust/Mist			
Method	calculated value (Regulation (EC) No. 1272/2008)			
Remarks	The classification criteria are met.			

Acute inhalative toxicity (Components)

2-aminoethanol

Species	rat			
LC50	1487			mg/m ³
Duration of exposure	4		h	
Administration/Form	Vapors			

Skin corrosion/irritation

evaluation	corrosive
Remarks	The classification criteria are met.

Serious eye damage/irritation

evaluation	corrosive
Remarks	The classification criteria are met.

Sensitization

Remarks	Based on available data, the classification criteria are not met.
---------	---

Sensitization (Components)

2-aminoethanol

evaluation	non-sensitizing
------------	-----------------

Subacute, subchronic, chronic toxicity

Remarks	Based on available data, the classification criteria are not met.
---------	---

Mutagenicity

neodisher Protech 16

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 14.03.2023

Print date: 12.07.23

Remarks Based on available data, the classification criteria are not met.

Reproductive toxicity

Remarks Based on available data, the classification criteria are not met.

Carcinogenicity

Remarks Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity (STOT)

Single exposure

evaluation

May cause respiratory irritation.

Remarks

The classification criteria are met.

Repeated exposure

Remarks

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Experience in practice

Inhalation may lead to irritation of the respiratory tract.

Other information

There is no data available on the product apart from the information given in this subsection.

SECTION 12: Ecological information

12.1. Toxicity

General information

not determined

Fish toxicity (Components)

2-aminoethanol

Species	carp (<i>Cyprinus carpio</i>)		
LC50	349		mg/l
Duration of exposure	96	h	

2-aminoethanol

Species	goldfish (<i>Carassius auratus</i>)		
LC50	170		mg/l
Duration of exposure	96	h	

Daphnia toxicity (Components)

2-aminoethanol

Species	Daphnia magna		
EC50	65		mg/l
Duration of exposure	96	h	

Algae toxicity (Components)

2-aminoethanol

Species	Scenedesmus subspicatus		
EC50	22		mg/l
Duration of exposure	72	h	

2-aminoethanol

Species	Selenastrum capricornutum		
EC50	2,5		mg/l
Duration of exposure	72	h	
Method	OECD 201		

neodisher Protech 16

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 14.03.2023

Print date: 12.07.23

Bacteria toxicity (Components)

2-aminoethanol

Species	activated sludge		
EC20	> 1000		mg/l
Duration of exposure	0,5	h	
Method	OECD 209		

12.2. Persistence and degradability

General information

not determined

12.3. Bioaccumulative potential

General information

not determined

Partition coefficient n-octanol/water (log value)

Remarks not determined

12.4. Mobility in soil

General information

not determined

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment

The product contains no PBT or vPvB substances.

12.7. Other adverse effects

General information

not determined

General information / ecology

Do not allow to enter soil, waterways or waste water canal. Avoid release into the atmosphere.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations for the product

EWC waste code 18 01 06* chemicals consisting of or containing dangerous substances

EWC waste code 20 01 29* detergents containing dangerous substances

The listed waste code numbers, according to the European Waste Catalogue (EWC), are to be understood as a recommendation. A final decision must be made in agreement with the regional waste disposal company.

Disposal recommendations for packaging

EWC waste code 15 01 02 plastic packaging

Completely emptied packagings can be given for recycling.

EWC waste code 15 01 10* packaging containing residues of or contaminated by dangerous substances

Packaging that cannot be cleaned should be disposed of in agreement with the regional waste disposal company.

SECTION 14: Transport information




neodisher Protech 16

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 14.03.2023

Print date: 12.07.23

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
Tunnel restriction code	E		
IMDG-Code segregation group		18 Alkalis	
14.1. UN number or ID number	2491	2491	2491
14.2. UN proper shipping name	ETHANOLAMINE SOLUTION	ETHANOLAMINE SOLUTION	ETHANOLAMINE SOLUTION
14.3. Transport hazard class(es)	8	8	8
Label			
14.4. Packing group	III	III	III
Limited Quantity	5 l	5 l	
Transport category	3		
14.5. Environmental hazards		no	

Information for all modes of transport

14.6. Special precautions for user

See Sections 6 to 8

Other information

14.7 Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Ingredients (Regulation (EC) No 648/2004)

less than 5 %:

amphoteric surfactants

Other information

The product does not contain substances of very high concern (SVHC).

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

SECTION 16: Other information

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification (Regulation (EC) No. 1272/2008)

neodisher Protech 16

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 14.03.2023

Print date: 12.07.23

Acute Tox. 4	H302
Acute Tox. 4	H312
Acute Tox. 4	H332
Skin Corr. 1B	H314
Eye Dam. 1	H318
STOT SE 3	H335
Aquatic Chronic 3	H412

Hazard statements listed in Chapter 2/3

H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H412	Harmful to aquatic life with long lasting effects.

CLP categories listed in Chapter 2/3

Acute Tox. 4	Acute toxicity, Category 4
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic, Category 3
Eye Dam. 1	Serious eye damage, Category 1
Skin Corr. 1B	Skin corrosion, Category 1B
STOT SE 3	Specific target organ toxicity - single exposure, Category 3

Abbreviations

ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route
RID: Règlement concernant le transport international ferroviaire de marchandises dangereuses
IMDG: International Maritime Code for Dangerous Goods
ICAO: International Civil Aviation Organization
IATA: International Air Transport Association
MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978 (MARPOL: Marine Pollution)
IBC: Intermediate Bulk Container
CAS: Chemical Abstracts Service
TSCA: Toxic Substances Control Act (USA)
VOC: Volatile Organic Compound
ISO: International Organization for Standardization
OEL: Occupational exposure limit
LD: Lethal dose
LC: Lethal concentration
PBT: Persistent, Bioaccumulative and Toxic
vPvB: Very persistent and very bioaccumulative
SVHC: Substances of very high concern
IUCLID: International Uniform Chemical Information Database
OECD: Organisation for Economic Co-operation and Development
IMO: International Maritime Organization
GHS: Globally Harmonized System of classification and Labelling of Chemicals
REACH: Registration, Evaluation, Autohorisation and Restriction of Chemicals
UN: United Nations

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: ***
This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.