

neomoscan	S 22			
Version: 1 / GB	Replaces Version: - / GB	Date revised:	04.12.2023	Print date: 04.12.23
SECTION 1: Identific	ation of the substance/r	nixture and o	f the compar	y/undertaking
1.1. Product identifi neomoscan S 22	-			
1.2. Relevant identi Identified Uses PC35	fied uses of the substan			-
	Washing and cleaning p		g solvent based	products)
	upplier of the safety data	a sheet		
Address: Chemische Fabr Mühlenhagen 85 D-20539 Hambu Telephone no. Fax no. www.drweigert.c	rg +49 40 789 60 0 +49 40 789 60 120			
E-mail address sida@drweigert.	of person responsible for thi de	s SDS:		
1.4. Emergency telep	phone number ohone number: 112			
<b>SECTION 2: Hazards</b>	identification			
Classification (R	of the substance or mixtu egulation (EC) No. 1272/200 egulation (EC) No. 1272/2008) Met. Corr. 1 Skin Corr. 1B Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 2	-		
	assified and labelled in accordation of abbreviations see section 16	ance with Regula	tion (EC) No 127	/2/2008
2.2. Label elements				
Labelling accor	ding to regulation (EC) I	No 1272/2008		
Hazard pictogram				
Signal word				
Danger				
Hazard statemen				
H290 H314	May be corrosive to met Causes severe skin burr		ge.	



Version: 1/GB

Replaces Version: - / GB

Date revised: 04.12.2023

Print date: 04.12.23

H410	Very toxic to aquatic life with long lasting effects.
Precautionary staten	nents
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor.
	Dispose only when container is empty and closed. For disposal of product residues, refer to safety data sheet.
Hazardous compone	ent(s) to be indicated on label (Regulation (EC) No. 1272/2008)
contains	potassium silicate; C12-C14 alkyldimethylamine oxide; sodium hypochlorite, solution

#### **Further supplemental information**

Contact with acids liberates toxic gas.

### 2.3. Other hazards

No special hazards have to be mentioned.

The product contains no PBT substances. The product contains no vPvB substances. This product does not contain a substance that has endocrine disrupting properties with respect to human. The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### **Hazardous ingredients**

potassium silicate CAS No. EINECS no. Registration no. Concentration Classification (Regulat	1312-76-1 215-199-1 01-2119456888-17 >= 10 tion (EC) No. 1272/2008) Met. Corr. 1 Skin Corr. 1B Eye Dam. 1	< H290 H314 H318	25	%
fatty acids, potassium CAS No. EINECS no. Concentration Classification (Regulat	salts 13040-18-1 235-910-9 >= 1 tion (EC) No. 1272/2008) Skin Irrit. 2 Eye Irrit. 2	< H315 H319	10	%
Registration no. Concentration	solution 7681-52-9 231-668-3 01-2119488154-34 >= 1 tion (EC) No. 1272/2008) Met. Corr. 1	< H290	5	%



#### neomoscan S 22 Print date: 04.12.23 Replaces Version: - / GB Date revised: 04.12.2023 Version: 1/GB Skin Corr. 1B H314 Eve Dam. 1 H318 Aquatic Acute 1 H400 Aquatic Chronic 1 H410 Concentration limits (Regulation (EC) No. 1272/2008) EUH031 >= 5 % Aquatic Acute 1 M = 10Aquatic Chronic 1 M = 1 Additional remarks: CLP Regulation (EC) No 1272/2008, Annex VI, Note B C12-C14 alkyldimethylamine oxide 308062-28-4 CAS No. 931-292-6 EINECS no. Registration no. 01-2119490061-47 Concentration >= < 5 % Classification (Regulation (EC) No. 1272/2008) Acute Tox. 4 H302 Route of exposure: oral Skin Irrit. 2 H315 Eve Dam. 1 H318 H400 Aquatic Acute 1 Aquatic Chronic 2 H411

#### Other information

Complete text of hazard statements in chapter 16

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

Remove contaminated, soaked clothing immediately and dispose of safely. Clean body thoroughly (bath, shower). In any case show the physician the Safety Data Sheet.

#### After inhalation

Ensure supply of fresh air. When spray fog inhaled, seek medical aid.

#### After skin contact

After contact with skin, wash immediately with plenty of water. Take medical treatment.

#### After eye contact

In case of contact with the eyes, rinse immediately for at least 15 minutes with plenty of water. Summon a doctor immediately.

#### After ingestion

If swallowed, seek medical advice immediately and show this container or label. Rinse mouth thoroughly with water. Let plenty of water be drunk in small gulps. Do not induce vomiting.

#### Adhere to personal protective measures when giving first aid

First aider: Pay attention to self-protection!

**4.2. Most important symptoms and effects, both acute and delayed** Until now no symptoms known so far.

#### 4.3. Indication of any immediate medical attention and special treatment needed Hints for the physician / hazards

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.



#### neomoscan S 22 Print date: 04.12.23 Replaces Version: - / GB Date revised: 04.12.2023 Version: 1/GB SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media Product itself is non-combustible; adapt fire extinguishing measures to surrounding areas. Non suitable extinguishing media Full water jet 5.2. Special hazards arising from the substance or mixture In case of combustion evolution of dangerous gases possible. 5.3. Advice for firefighters Special protective equipment for fire-fighting Do not inhale explosion and/or combustion gases. In case of combustion use a suitable breathing apparatus. Other information Collect contaminated fire-fighting water separately, must not be discharged into the drains. Fire residues and contaminated fire-fighting water must be disposed of in accordance with the local regulations. SECTION 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures Avoid contact with skin, eyes and clothing. Refer to protective measures listed in Sections 7 and 8. 6.2. Environmental precautions Do not discharge into the drains/surface waters/groundwater. 6.3. Methods and material for containment and cleaning up Pick up with absorbent material. Dispose of absorbed material in accordance with the regulations. 6.4. Reference to other sections Refer to protective measures listed in Sections 7 and 8. **SECTION 7: Handling and storage** 7.1. Precautions for safe handling Advice on safe handling Avoid formation of aerosols. Observe the usual precautions for handling chemicals. Keep container tightly closed. Advice on protection against fire and explosion The product is not combustible. 7.2. Conditions for safe storage, including any incompatibilities **Recommended storage temperature** °C < 25 Value Requirements for storage rooms and vessels Keep in original packaging, tightly closed. Storage rooms must be properly ventilated. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Storage classes Storage class according to 8B Non-combustible corrosive hazardous substances **TRGS 510** Further information on storage conditions Protect from heat and direct sunlight. Do not keep the container sealed.



Version: 1 / GB

Replaces Version: - / GB

Date revised: 04.12.2023

#### 7.3. Specific end use(s)

no data

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### Other information

There are not known any further control parameters.

#### 8.2. Exposure controls

#### General protective and hygiene measures

Hold eye wash fountain available. Hold emergency shower available. Do not inhale gases/vapours/aerosols. Avoid contact with skin and eyes. Do not eat, drink or smoke during work time. Wash hands before breaks and after work. Clean skin thoroughly after work; apply skin cream.

#### **Respiratory protection**

If workplace limits are exceeded, a respiratory protection approved for this particular job must be worn. Short term: filter apparatus, combination filter B-P3

#### Hand protection

Chemical resistant gloves			
Use	Perm	anent han	d contact
Appropriate Material	neopr	ene	
Material thickness	>=	0,65	mm
Breakthrough time	>	480	min
Appropriate Material	nitrile		
Material thickness	>=	0,4	mm
Breakthrough time	>	480	min
Appropriate Material	butyl		
Material thickness	>=	0,7	mm
Breakthrough time	>	480	min
Use	Short	-term hand	d contact
Appropriate Material	nitrile		
Material thickness	>=	0,11	mm
Hand protection must comp	ly with F	EN ISO 37	'A

Hand protection must comply with EN ISO 374.

#### Eye protection

Safety glasses with side protection shield; Eye protection must comply with EN 166.

#### **Body protection**

Clothing as usual in the chemical industry. Protective shoes

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state	liquid	
Colour	light yellow	
Odour	characteristic	
Melting point		
Remarks	not determined	
Freezing point		
Remarks	not determined	
Boiling point or initial	boiling point and boiling range	
Value	appr. 100	°C
Flammability		



#### neomoscan S 22 Print date: 04.12.23 Replaces Version: - / GB Date revised: 04.12.2023 Version: 1/GB evaluation not determined Upper and lower explosive limits Remarks Not applicable Flash point Remarks Not applicable Ignition temperature Remarks Not applicable **Decomposition temperature** Remarks Remarks not determined pH value Value > 13 Temperature 20 °C Viscosity dynamic Value 10 mPa.s < 20 °C Temperature Solubility(ies) not determined Remarks Partition coefficient n-octanol/water (log value) Remarks not determined Vapour pressure Remarks not determined Density and/or relative density Value 1,22 g/cm<sup>3</sup> °C Temperature 20 **Relative vapour density** Remarks not determined 9.2. Other information **Odour threshold** Remarks not determined Evaporation rate (ether = 1) : Remarks not determined Solubility in water Remarks miscible in all proportions Auto-ignition temperature Remarks Not applicable **Explosive properties** evaluation no **Oxidising properties** evaluation None known Other information None known **SECTION 10: Stability and reactivity**



neomoscar	ו S 22				
Version: 1 / GB	Replaces Version	: -/GB	Date revised: 04.	.12.2023	Print date: 04.12.23
10.1. Reactivity No hazardous	reactions when stored	d and handl	ed according to pres	cribed instruction	ons.
10.2. Chemical sta No hazardous	<b>ability</b> reactions known.				
10.3. Possibility o No hazardous	f hazardous reac reactions known.	tions			
10.4. Conditions t Do not keep th	t <b>o avoid</b> ne container sealed. P	rotect from	heat and direct sunli	ght.	
<b>10.5. Incompatible</b> Strong exothe aluminium.	e materials rmic reaction with acio	ls. Evolutior	n of chlorine under in	fluence of acids	s. Corrodes
<b>10.6. Hazardous d</b> Chlorine, Irrita	lecomposition pr nt gases/vapours	oducts			
SECTION 11: Toxic	cological informa	tion			
11.1 Information of Acute oral toxi ATE Method Remarks	city > calcula	2000 ated value (	ed in Regulation Regulation (EC) No. le data, the classifica	mg/kg 1272/2008)	
	city (Components)		e data, the classifica		not met.
	imethylamine oxide rat OECD	1064 401 nt-Daten		mg/kg	
	nlorite, solution % rat			mg/kg	
Acute dermal t	oxicity				
Remarks			e data, the classifica	tion criteria are	not met.
	oxicity (Componen	•			
<b>sodium hypoch</b> Species LD50 Method	nlorite, solution… % rabbit > OECD	20000		mg/kg	
	-	100			
ATE Administration Method Remarks	calcula	ated value (	Regulation (EC) No. le data, the classifica		not met.
Acute inhalativ	e toxicity (Compor	nents)			
<b>sodium hypoch</b> Species	nlorite, solution % rat	CI active			
LC50 Duration of ex Administration	posure	10,5 1 S	h	mg/l	



neomosca	n S 22				
/ersion: 1/GB	Replaces Version	: -/GB	Date revised:	04.12.2023	Print date: 04.12.23
Method	OECD	403			
Skin corrosion	n/irritation				
evaluation	corros	-			
Remarks		assification	criteria are met.		
-	amage/irritation				
evaluation Remarks	corros The cl	-	criteria are met.		
Sensitization					
Remarks	Based	on availabl	e data, the classi	fication criteria a	re not met.
	chronic, chronic to		,		
Remarks		-	e data, the classi	fication criteria a	ire not met.
Mutagenicity					
Remarks	Based	on available	e data, the classi	fication criteria a	ire not met.
Reproductive	toxicity				
Remarks	Based	on available	e data, the classi	fication criteria a	ire not met.
Carcinogenici	ty				
Remarks	Based	on available	e data, the classi	fication criteria a	ire not met.
Specific Targe	et Organ Toxicity (S	τοτ)			
Single expos Remarks		on availabl	e data, the classi	fication criteria a	ire not met.
<b>Repeated ex</b> Remarks		on availabl	e data, the classi	fication criteria a	ire not met.
Aspiration haz					
Based on ava	ilable data, the classifi	cation criter	ia are not met.		
11.2 Information	on other hazards				
	rupting properties v does not contain a subs	-		srupting propertie	es with respect to
Experience in	practice				
	y lead to irritation of th	e respiratory	y tract.		
Other information					
There is no d	ata available on the pro	oduct apart f	from the informat	ion given in this	subsection.
ECTION 12: Ecol	ogical information	า			
12.1. Toxicity					
General inform					
not determine					
Fish toxicity (	Components)				
C12-C14 alkylo Species LC50	<b>dimethylamine oxide</b> Fathea	ad minnow ( 1	Pimephales pron to 10	nelas) mg/l	
Duration of ex	kposure	96	h		
Species	hlorite, solution % rainbo	w trout (Ond	corhynchus mykis	,	
LC50 Duration of ex	kposure	0,06 96	h	mg/l	



ersion: 1/GB	Replaces	Version: -/GB	Dat	e revised:	04.12.2023	Print date: 04.12.23
Daphnia toxici	tv (Compone	ents)				
C12-C14 alkyld	-					
Species		Daphnia magna				
EC50		1	to	10	mg/l	
Duration of ex	posure	48	h			
Method		OECD 202				
	hlorite, solutio	on % Cl active				
Species EC50		Daphnia magna 0,141			mg/l	
Duration of ex	nosure	48	h		mg/i	
Method	posure	OECD 202				
Algae toxicity	(Component					
•		-				
C12-C14 alkyld Species	methylamine	Selenastrum capi	ricornut	tum		
EC50		0,1	to	1	mg/l	
Duration of ex	posure	72	h			
Method	-	OECD 201				
sodium hypocl	hlorite, solutio	on % CI active				
EC50		0,0499			mg/l	
Duration of ex	posure	7	d			
Source		Manufacturer's da	ata			
Bacteria toxici	ty (Compone	ents)				
	hlorite, solutio	on % CI active				
Species		activated sludge				
EC50 Duration of ex	nocuro	77,1 3	h		mg/l	
Method	posule	OECD 209	11			
12.2. Persistence	•	lability				
General inform	nation					
not determine	d					
12.3. Bioaccumul	ative poten	tial				
General inform	-					
not determine						
	-	allunter (la sur	sluc)			
	icient n-octa	nol/water (log va	•			
Remarks		not determine	u			
12.4. Mobility in s	oil					
General inform	nation					
not determine	d					
12.5. Results of P	BT and vD	B accordent				
		D assessment	I.			
General inform						
not determine						
Results of PB1	「and vPvB a	ssessment				
The product c	ontains no PB	T substances				
The product c		T substances				



#### neomoscan S 22 Print date: 04.12.23 Replaces Version: - / GB Date revised: 04.12.2023 Version: 1/GB The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms. 12.7. Other adverse effects General information not determined General information / ecology The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Do not discharge product unmonitored into the environment. **SECTION 13: Disposal considerations** 13.1. Waste treatment methods Disposal recommendations for the product EWC waste code 18 01 06\* chemicals consisting of or containing dangerous substances EWC waste code 20 01 15\* alkalines EWC waste code 20 01 29\* detergents containing dangerous substances The listed waste code numbers, according to the European Waste Catalogue (EWC), are to be understood as a recommendation. A final decision must be made in agreement with the regional waste disposal company. **Disposal recommendations for packaging** EWC waste code 15 01 02 plastic packaging Completely emptied packagings can be given for recycling. EWC waste code packaging containing residues of or contaminated by 15 01 10\* dangerous substances Packaging that cannot be cleaned should be disposed of in agreement with the regional waste disposal company. **SECTION 14: Transport information**



Version: 1 / GB

Replaces Version: - / GB

Date revised: 04.12.2023

Print date: 04.12.23

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
Tunnel restriction code	E		
IMDG-Code segregation group		18 Alkalis	
14.1. UN number or ID number	1719	1719	1719
14.2. UN proper shipping name	CAUSTIC ALKALI LIQUID, N.O.S. (potassium silicate, sodium hypochlorite, solution)	CAUSTIC ALKALI LIQUID, N.O.S. (potassium silicate, sodium hypochlorite, solution)	CAUSTIC ALKALI LIQUID, N.O.S. (potassium silicate, sodium hypochlorite, solution)
14.3. Transport hazard class(es)	8	8	8
Label	Received and the second	B	(Part) B
14.4. Packing group	Ш	111	Ш
Limited Quantity	51	51	
Transport category	3		
14.5. Environmental hazards	ENVIRONMENTALLY HAZARDOUS	Marine Pollutant	ENVIRONMENTALLY HAZARDOUS

#### Information for all modes of transport

14.6. Special precautions for user

See Sections 6 to 8

#### Other information

**14.7 Maritime transport in bulk according to IMO instruments** Not applicable

#### **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Major-accident categories acc. 2012/18/EU

Category	E1	Hazardous to the Aquatic Environment	100.000	kg	200.000	kg
Ingredients (Re	gulation (E	EC) No 648/2004)				

5 % or over but less than 15 %:



ersion: 1/GB	Replaces Version: - / GB	Date revised: 04.12.2023	Print date: 04.12.2
soap			
less than 5 %			
	non-ionic surfactants, chlorine-ba	sed bleaching agents	
voc			
VOC (EU)	0	% 0 g/l	
Other informa		vr ( high concorn (S)/L(C)	
	does not contain substances of ve afety assessment	ery high concern (SVHC).	
	aration a chemical safety assessn	nent has not been carried out.	
ECTION 16: Oth	er information		
	and procedure used to deriv C) 1272/2008 [CLP]:	ve the classification for mixtu	res according to
• •	(Regulation (EC) No. 1272/2008	)	
Clabolitottio	Met. Corr. 1	′ H290	
	Skin Corr. 1B	H314	
	Eye Dam. 1	H318	
	Aquatic Acute 1		
	Aquatic Chronic 2	H411	
	nents listed in Chapter 2/3		
H290	May be corrosive		
H302 H314	Harmful if swallo	wed. kin burns and eye damage.	
H314 H315	Causes severe s		
H318	Causes serious e		
H319	Causes serious e	eye irritation.	
H400	Very toxic to aqu		
H410		atic life with long lasting effects.	
H411	•	life with long lasting effects.	
•	es listed in Chapter 2/3		
Acute Tox. 4 Aquatic Acut	Acute toxicity, Ca		aon 1
Aquatic Acut Aquatic Chro		e aquatic environment, acute, Cate e aquatic environment, chronic, Ca	
Aquatic Chro		e aquatic environment, chronic, Ca	
Eye Dam. 1	Serious eye dam		0,
Eye Irrit. 2	Eye irritation, Ca		
Met. Corr. 1		xture corrosive to metals, Category	y 1
Skin Corr. 1E Skin Irrit. 2	3 Skin corrosion, C Skin irritation, Ca		
Abbreviations			
		rnational des marchandises Dange	ereuses par Route
		ational ferroviaire de marchandise	
	ational Maritime Code for Danger		g
ICAO: Intern	ational Civil Aviation Organization		
	tional Air Transport Association		
	e Organic Compound		
LD: Lethal do LC: Lethal co			
	ent, Bioaccumulative and Toxic		
	ersistent and very bioaccumulativ	re	
	tances of very high concern		



Version: 1 / GB

Replaces Version: - / GB

Date revised: 04.12.2023

Print date: 04.12.23

#### UN: United Nations

#### Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: \*\*\* This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.